THAPAR INSTITUTE OF ENGINEERING & TECHNOLOGY

(Deemed-to-be-University u/s 3 of the UGC Act, 1956)

Thapar Technology Campus,

Bhadson Road, Patiala - 147 004 (Punjab) India

Phone : +91-175-2393021
Email : registrar@thapar.edu
URL : www.thapar.edu

Date: 29.05.2024

To

The Additional Director

Ministry of Environment, Forest and Climate Change,

Integrated Regional Office,

Bays Nos. 24-25, Sector 31 A,

Dakshin Marg,

Chandigarh - 160030

(Mail ids.: eccompliance-nro@gov.in and ronz.chd-mef@nic.in)

Subject: Submission of six monthly compliance report for period ending 31.03.2024 for the Project namely "Thapar Institute of Engineering and Technology" located at Bhadson Road, Patiala, Punjab.

Respected Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report, we are hereby submitting the six monthly compliance report for period ending 31.03.2024 for the above said project through mail for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you

Sincerely,

Name: Dr. Gurbinder Singh Contact No.: 8288008118 Designation: Registrar

Email: registrar @ thapar.edu

CC: Member Secretary, SEIAA Punjab, Ministry of Environment, Forest and Climate Change GoI, PBTI Complex, Knowledge City, Sector 81, Distt. SAS Nagar (Mohali), Punjab (Uploaded on Parivesh Portal).

SIX MONTHLY COMPLIANCE REPORT

(Period ending 31.03.2024)

OR

For

Thapar Institute of Engineering and Technology (Deemed to be University)

At

Bhadson Road, District Patiala, Punjab

Prepared by:



Eco Paryavaran Laboratories and Consultants Private Limited

E-207, Industrial Area, Phase-VIIIB (Sector-74), Mohali (SAS Nagar), Punjab 160071

Tele No.: 0172-4616225 **email:** compliance@ecoparyavaran.org **M:** 098140-03103, 062833-61152

www.ecoparyavaran.org



CONTENT

S. No.	Description	Page No.
1.	Data Sheet	1-4
2.	Compliance of Environmental Clearance conditions	5-21
	Annexure	1
3.	A-1: Copy of Environmental Clearance letter	22-32
4.	A-1(a): Copy of Environmental Clearance letter for expansion	33-41
5.	A-1(b): Copy of Environmental Clearance letter for further expansion	42-56
6.	A-2: Photographs of the project	57-61
7.	A-3: Permission from PWRDA	62-63
8.	A-3a: Screenshot of application submission to PWRDA	64
9.	A-4: Test report of Ambient air, noise, water and soil	65-73
10.	A-5: CTE Expansion and CTO grant certificate	74-90
11.	A-5a: Acknowledgement of CTE and CTO renewal	91-93
12.	A-6: Structural Stability Certificate	94
13.	A-7: Permission obtained for disposal of solid waste	95
14.	A-7a: Disposal of Hazardous Waste (Used oil) details	96-100
15.	A-7b: E-waste annual report	101-105
16.	A-8: Advertisement published in the newspaper regarding grant of EC	106-109
17.	A-9: Acknowledgement for submission of EC letters in various Departments	110-111
18.	A-10: Compliance submission update on TIET website	112
19.	A-11: Compliance uploaded on Parivesh portal	113
20.	A-12: Expenditure on CSR activity	114
21.	A-13: Receipt of Environmental Statement (Form V)	115
22.	A-14: Copy of the Electricity bill	116-117

Ministry of Environment, Forest and Climate Change Northern Regional Office, Chandigarh-160030

DATA SHEET

1.	Project Type	Educational Institute	
2.	Name of the Project	"Thapar Institute of Engineering and	
		Technology" (Deemed to be University)	
3.	Clearance letter (s)/O.M No. & dates	Environmental Clearance has been granted	
		by SEIAA, Punjab vide Letter No.	
		SEIAA/3777 dated 26.06.2015 sand the copy	
		of the same is attached along as Annexure 1.	
		Further institute proposed expansion for	
		which Environmental Clearance has been	
		obtained vide Letter No. SEIAA/914 dated	
		25.01.16 and the copy of the same is attached	
		along as Annexure 1(a).	
		Recently institute proposed further expansion	
		for which Environment Clearance has been	
		obtained by MoEF&CC vide File F. No. IA3-	
		10/7/2021-IA.III dated 12.03.2021; copy of	
		the same is enclosed as Annexure 1(b).	
4.	Location	Bhadson Road	
	a) District (s)	Patiala	
	b) State (s)	Punjab	
	c) Latitudes/ Longitudes	30°21'24.78" N & 76°21'31.05" E	
5.	Address for correspondence	Thapar University Campus,	
		Bhadson Road, Patiala, Punjab.	
6.	Salient features		
	a) of the project	As per the current Environmental Clearance	
		letter, the total plot area after expansion will	
		remain same i.e., 10,08,194.06 sq.m. (249.13	
		acres). However, overall built-up area will	
		become 4,45,678.09 sq.m. The proposed	
		building are New Girl's Hostel Q, Guest	
		House, Sport Center, etc.	
	b) of the environmental management	As per the Environmental Clearance, the total	
	plans	water requirement for the project will be	
		1,279 KLD out of which fresh water	
		requirement will be 826 KLD, which will be	
		met through 4 existing installed tube well.	

Total solid waste generation from the will be 5.36 TPD. The total power requirement will be KW which will be taken from Punja Power Corporation Ltd.	e 8,600	
7. Break-up of the project area		
a) Submergence area: Forest and Non- Not applicable		
forest		
b) Others Not applicable		
8. Break-up of project affected Not applicable		
population with enumeration of those		
losing houses/ dwelling units only, agricultural land only both dwelling		
units and agricultural land and		
landless labourers/artisans.		
	Not applicable	
b) Others (Please indicate whether these Not applicable		
figures are based on any scientific and		
systematic survey carried out or only		
provisional figures. If a survey has been		
carried out give details and year of		
survey)		
9. Financial details:		
a) Project cost as originally planned As per EC letter, total cost of the part	roject is	
and subsequent revised estimates and Rs. 1097.4 Crores.		
the year of price reference.		
	nmental	
management plans with item wise and management plan are listed below:		
year wise break up. During Construction Phase:		
Description Capital Rs. La		
	00	
Air & Noise Pollution		
Management	5	
	0	

		Rainwater Recharging	50
		Environmental Monitoring	5
		Solid Waste Management	10
		Miscellaneous	10
		Total	Rs. 230
			Lakhs
		During Operational Phase:	
		Description	Recurring
			Cost/Annum
			Rs. Lakhs
		Waste water Management	15
		Air & Noise Pollution Management	1
		Landscaping	10
		Rainwater Recharging	10
		Environmental Monitoring	2
		Solid Waste Management	5
		Miscellaneous	2
		Total	Rs. 45 Lakhs
	c) Benefit cost ratio/internal rate of	Will be calculated and submi	tted.
	return and the year of assessment		
	d) Whether (c) includes the cost of	Yes	
	environmental management as shown		
	in b) above.		
	e) Actual expenditure incurred on the	The actual expenditure done	
	project so far.	till 31 th March, 2024 is Rs. 13	
	f) Actual expenditure incurred on	Approx. Rs. 21 crores has	-
	environmental management plans so	environmental management	plans till 31 st
	far.	March 2024.	
10.	Forest land requirement:		
	a) the status of approval for diversion	Not Applicable	
	of forest land for non-forestry use		
	b) the status of clear felling, if any	Not Applicable	
	c) the status of compensatory	Not Applicable	
	afforestation, if any.		
	d) Comments on the viability &	Not Applicable	
	sustainability of compensatory		
	Afforestation programme in the light of		
	actual field experience so far.		
11.	The status of clear felling in non-forest	Not applicable	
<u></u>	areas (such as submergence area of		

	reservoir, approach road) if any, with quantitative information.		
12.	Status of construction:	90 % construction has been done.	
		Photographs showing the status of	
		construction are attached along as Annexure	
		2.	
	a) Date of commencement (actual and/or	March, 1956	
	planned)		
	b) Date of completion (actual and/or	1st Phase: 30.12.2017	
	planned)	2 nd Phase: Completed	
		3 rd Phase: December, 2024	
13.	Reasons for the delay, if the project is	Not applicable	
	yet to start		

Compliance Report on conditions imposed in Environmental Clearance as per MoEF&CC for Period ending 31.03.2024

SPECIFIC CONDITIONS:

SI.No.	Conditions	Reply
i.	As committed, PP shall develop solar power generation capacity of 3MW and implement the condition of existing EC with regard to energy conservation.	Agreed. Solar power plant of capacity 3 MW has been proposed. Presently, process for taking quotations has been initiated for installation of 1 MW solar power plant as phase I. Vendors are being finalized considering technical and commercial aspects.
ii.	Area for greenery shall be provided as per the details provided in the project document i.e., area under plantation/greenery will be 2,36,885 sq. m. As proposed, at least 27,634 trees shall be maintained during the operation phase of the project. The landscape planning should include plantation of native species. A minimum of 01 tree for every 80 sq.m of land should be planted and maintained. The existing trees will be counted for this purpose. Plantations to be ensured species (cut) to species (planted). The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.	The same has been implemented. Presently, adequate green area has been provided within the project premises. Photographs showing the same is enclosed as Annexure 2 .
iii.	Abstraction of groundwater shall be subject to the permission of Central Ground Water Authority (CGWA) and ground water recharge shall conform to CGWA norms or norms prescribed by the local authorities. Freshwater requirement shall not exceed 826 KLD during operational phase	Ad interim permission for Groundwater approval for abstraction has been obtained from PWRDA. Further as per final PWRDA guideline application for NOC has been filed to concerned department. Copy of ad interim permission for abstraction is attached as Annexure-3 and a screenshot for the applied application as per final guideline is attached as Annexure-3a.
iv.	As proposed, waste water shall be treated in an onsite STP of total 2.3 MLD capacity. At least 926 KLD of treated wastewater shall be recycled and reused (355 KLD for flushing and rest for green area	Agreed. STP of capacity 2.3 MLD has already been installed within the campus and treated waste water is being reused for flushing & horticulture

	demand and excess to 10 acres of land under Karnal	
	Technology).	area under Karnal Technology.
		Photographs showing area under Karnal
		Technology is enclosed as Annexure 2 .
V.	The project proponents would commission a third-	Agreed. 3 rd party study will be
	party study on the implementation of conditions	conducted related to water quality and
	related to quality and quantity of recycle and reuse	its uses.
	of treated water, efficiency of treatment systems,	Although, treated water monitoring has
	quality of treated water being supplied for flushing	been done by NABL accredited
	(specially the bacterial counts), comparative	1
	bacteriological studies from toilet seats using	Annexure 4.
	recycled treated waters and fresh waters for flushing,	
	and quality of water being supplied through spray	
	faucets attached to toilet seats.	
vi.	The local bye-law provisions on rain water	Agreed. The same will be complied.
	harvesting should be followed. If local bye-law	Presently, 33 nos. of rain water
	provision is not available, adequate provision for	recharging pits have already been
	storage and recharge should be followed as per the	constructed for groundwater recharging.
	Ministry of Urban Development Model Building	Photographs of the same is enclosed as
	Byelaws, 2016. As proposed, 31 RWH pits shall be	Annexure-2
	provided for rain water harvesting after filtration as	Annexure-2
	per the CGWB norms.	
vii.	The solid waste shall be duly segregated into	Institute is complying with the Solid
	biodegradable and non-biodegradable components	Waste Management Rules, 2016. Solid
	and handled in separate area earmarked for	waste is being duly segregated into
	segregation of solid waste, as per SWM Rules, 2016.	biodegradable and non-biodegradable
	As committed, biodegradable waste shall be	components. Biodegradable waste is
	composted by use of Composter. Inert waste shall be	being composted by use of Mechanical
	dumped to authorized site. The recyclable waste	composter. Inert waste is being dumped
	shall be sold to resellers.	to authorized dumping site. The
		recyclable waste is being sold to
		resellers.
viii.	The PP shall provide electric charging points in the	
	parking areas for e- vehicles as committed.	
ix.	1 7	
		abstraction has been obtained from
	Regulations or Statutes as applicable to the project.	PWRDA. Copy of permission for
		abstraction is attached as Annexure-3 .
		and a screenshot for the applied
ix.	parking areas for e- vehicles as committed. The Environmental Clearance to the project is primarily under provisions of EIA Notification, 2006. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes as applicable to the project.	provided in proposed building Photographs showing the same attached as Annexure-2 . All the required approvals are being obtained as and when required. • Ground water approval (ad interim) for abstraction has been obtained from PWRDA. Copy of permission for abstraction is attached as Annexure-

application as per final guideline is
attached as Annexure-3a.
• Consent to Establish (CTE) had been
obtained from PPCB which was valid
upto 31.03.2024. Further, Copy of
CTE and CTO Air/Water granted is
attached as Annexure 5. Further,
application for CTE and CTOs
extension has been filed which is in
process. Acknowledgement of the
same is enclosed as Annexure 5a.
• Structural Safety certificate has been
obtained; copy of the same is attached
along as Annexure 6.
• Permission for solid waste disposal
has been obtained; copy of the same
is attached along as Annexure 7.

STANDARD CONDITIONS: I. Statutory Compliance:

SI.No.	Conditions	Reply
i.	The project proponent shall obtain all necessary	All statutory clearances are being
	clearance/ permission from all relevant agencies	obtained as and when required.
	including town planning authority before	• Ground water approval has been
	commencement of work. All the construction shall	obtained from PWRDA. Further, as
	be done in accordance with the local building	per final guideline application for
	byelaws.	NOC has been filed to PWRDA.
		Copy of permission for abstraction is
		attached as Annexure-3 and a
		screenshot for the applied
		application as per final guideline is
		attached as Annexure-3a.
		• Consent to establish has been
		obtained from PPCB which is valid
		upto 31.03. 2024. CTO Air/Water
		varied has also been obtained from
		PPCB. Copy of CTE and CTO
		Air/Water granted is attached as
		Annexure 5. Further, application for
		CTE and CTOs extension has been
		filed which is in process.
		Acknowledgement of the same is

ertificate has been of the same is Annexure 6. lid waste disposal copy of the same is Annexure 7.
Annexure 6. lid waste disposal copy of the same
Annexure 6. lid waste disposal copy of the same
lid waste disposal copy of the same
copy of the same
ertificate has been
ne same is attached
6.
.
C 4 1 1 1
no forest land is
utside of the eco-
r Bhadson wildlife
permission from
f Wildlife is not
h (CTE) has been
B which is valid
CTO Air/Water
en obtained from
opy of CTE and
nted is attached as
er, application for
tension has been
in process.
of the same is
ire 5a.
proval has been
, Patiala. Further,
•
val (Ad interim) for en obtained from
an opiainea from i
of permission for
of permission for ed as Annexure-3 .
of permission for ed as Annexure-3. final PWRDA
of permission for ed as Annexure-3 . final PWRDA in has been filled to
of permission for ed as Annexure-3. final PWRDA

vii.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Agreed. Copy of recent electricity bill is attached as Annexure 15.
viii.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.	obtained as and when required. Structural Safety certificate has been obtained; copy of the same is attached
ix.	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.	The Institute is complying with the Solid Waste Management Rules, 2016. The solid waste is being duly segregated into biodegradable and non-biodegradable components. Biodegradable waste is being composted by use of Mechanical composter. Inert waste is being dumped to authorized dumping site. The recyclable waste is being sold to resellers. The annual waste details are enclosed as Annexure 7-7b.
X.	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.	Adequate measures are being taken to conserve energy as efficient external wall, insulated roof, double glazed units, high COP chillers, high efficiency (Eff1) motors, use of LED lighting and occupancy sensors, use of low flow fixtures prescribed under the Energy conservation Building Code.

Air Quality Monitoring and Preservation:

SI.No.	Conditions	Reply
i.	Notification GSR 94(E) dated 25.01.2018 of	Suitable dust mitigation measures are
	MoEF&CC regarding Mandatory Implementation of	being implemented like water
	Dust Mitigation Measures for Construction and	sprinkling, providing wind wall
	Demolition Activities for projects requiring	barriers, tarpaulin sheets, so that there
	Environmental Clearance shall be complied with.	will be minimum impact on the
		environment.

ii.	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.	All necessary steps are being taken care to reduce the air pollution and to improve the air quality. Further, monitoring of ambient air quality is being done by NABL accredited laboratory. Test reports are enclosed as Annexure 4.
iii.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g., PM ₁₀ and PM _{2.5}) covering upwind and downwind directions during the construction period.	Ambient air quality monitoring station has been installed within project premises. Further, recent monitoring has been carried out. Test reports for ambient air quality monitoring is attached along as Annexure 4.
iv.	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low Sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.	DG sets have been installed with proper stack height and inbuilt enclosure to control air and noise pollution as per provision of EPA rules. Low Sulphur diesel is being used in the DG set. Test report for the same is enclosed as Annexure-4
V.	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3- meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.	All necessary steps like barricading sheets around construction area, tarpaulin sheets for covering vehicles carrying construction materials, regular sprinkling of water etc. are being followed to reduce the air pollution.
vi.	Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	The sand, cement, or other construction material is not being kept in open.
vii.	Wet jet shall be provided for grinding and stone cutting.	Agreed.
viii.	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.	Water sprinkling is being practiced to suppress dust.
ix.	All construction and demolition debris shall be stored at the site (and not dumped on the roads or	The construction and demolition debris is being stored at earmarked area

	open spaces outside) before they are properly	within the project and used for
	disposed. All demolition and construction waste	levelling purpose or construction of
	shall be managed as per the provisions of the	internal roads.
	Construction and Demolition Waste Management	
	Rules 2016.	
X.	The diesel generator sets to be used during	DG set used at construction site is of
	construction phase shall be low sulphur diesel type	low Sulphur diesel as per the norms.
	and shall conform to Environmental (Protection)	Test report for the same is enclosed as
	prescribed for air and noise emission standards.	Annexure-4
xi.	The gaseous emissions from DG set shall be	Existing DG sets have been installed
	dispersed through adequate stack height as per	with proper stack height and inbuilt
	CPCB standards. Acoustic enclosure shall be	enclosure to control air and noise
	provided to the DG sets to mitigate the noise	pollution as per provision of EPA rules.
	pollution. Low sulphur diesel shall be used. The	Further, the same will be followed for
	location of the DG set and exhaust pipe height shall	proposed DG sets. Test report for the
	be as per the provisions of the Central Pollution	same is enclosed as Annexure-4
	Control Board (CPCB) norms.	
xii.	For indoor air quality the ventilation provisions as	Agreed. National Building Code is
	per National Building Code of India.	being followed in the project.

Water Quality Monitoring and Preservation:

SI.No.	Conditions	Reply
i.	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.	Natural drainage is not being affected due to construction and operation of the project.
ii.	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.	Agreed. The same is being followed.
iii.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly monitoring reports.	The electromagnetic flow meter has already been provided on the existing borewells record of meter readings is being maintained.

iv.	A certificate shall be obtained from the local body	Ground water approval has been
	supplying water, specifying the total annual water	obtained from PWRDA. Further, as
	availability with the local authority, the quantity of	per guideline, NOC for abstraction
	water already committed, the quantity of water	from PWRDA has been applied. Copy
	allotted to the project under consideration and the	of permission for abstraction is
	balance water available. This should be specified	attached as Annexure-3. and a
	separately for ground water and surface water	screenshot for the applied application
	sources, ensuring that there is no impact on other	as per final guideline is attached as
	users.	Annexure-3a.
v.	At least 20% of the open spaces as required by the	Agreed. Proper open spaces are being
	local building bye- laws shall be pervious. Use of	provided as per the local building bye-
	Grass pavers, paver blocks with at least 50% opening,	laws.
	landscape etc. would be considered as pervious	
	surface.	
vi.	Installation of dual pipe plumbing for supplying fresh	Agreed, dual plumbing system will be
,	water for drinking, cooking and bathing etc. and other	provided in the proposed buildings
	for supply of recycled water for flushing, landscape	and treated water will be reused for
	irrigation, car washing, thermal cooling, conditioning	flushing as well as for horticulture
	etc. shall be done.	purpose.
vii.	Use of water saving devices/ fixtures (viz. low flow	Agreed, low flow fixtures are being
V 11.	flushing systems; use of low flow faucets tap aerators	provided for the reduction of water
		•
	etc.) for water conservation shall be incorporated in	usage.
viii.	the building plan. Separation of grow and black water should be done by	Agreed dual plumbing gystem will be
VIII.	Separation of grey and black water should be done by	Agreed, dual plumbing system will be
	the use of dual plumbing system. In case of single	provided in the proposed buildings.
	stack system separate recirculation lines for flushing	Further, dual plumbing system has
	by giving dual plumbing system be done.	already been provided in existing
		buildings also.
ix.	Water demand during construction should be reduced	Agreed. Curing agents as well as other
	by use of pre- mixed concrete, curing agents and other	best practices are being used during
	best practices referred.	construction work for reducing water
		demand.
х.	A rain water harvesting plan needs to be designed	33 nos. of rain water recharging pits
	where the recharge bores of minimum one recharge	have already been provided within
	bore per 5,000 square meters of built- up area and	project premises for groundwater
	storage capacity of minimum one day of total fresh	recharging. Photographs of the same
	water requirement shall be provided. In areas where	is enclosed as Annexure-2
	ground water recharge is not feasible, the rain water	
	should be harvested and stored for reuse. The ground	
	water shall not be withdrawn without approval from	
	1	1
	the Competent Authority.	

xii.	No ground water shall be used during construction	Noted. No fresh ground water is
	phase of the project.	being used for construction purpose.
xiii.	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	Ad interim permission for Groundwater approval for abstraction has been obtained from PWRDA. Further as per final guideline application for NOC has been filed to PWRDA. Copy of ad interim permission for abstraction is attached as Annexure-3 and a screenshot for the applied application as per final guideline is attached as Annexure-3a .
xiv.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Electromagnetic flow meter has already been provided and records of meter is being maintained.
XV.	No sewage or untreated effluent water would be discharged through storm water drains.	The same is being taken care.
xvi.	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.	STP of capacity 2.3 MLD has been installed with the campus & treated water is being reused for flushing & horticulture purpose.
xvii.	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.	STP inlet & outlet monitoring is being done by NABL accredited laboratory. Adequate measures are being taken to mitigate odor problem. Test reports are enclosed as Annexure 4.
xviii.	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	STP sludge generated from existing STP is being utilized as manure for green area within the project premises.

Noise Monitoring and Prevention:

SI.No.	Conditions	Reply
i.	Ambient noise levels shall conform to residential	Ambient noise and air monitoring is
	area/commercial area/industrial area/silence zone	being done recently by NABL
	both during day and night as per Noise Pollution	accredited laboratory. Test reports are
	(Control and Regulation) Rules, 2000. Incremental	enclosed as Annexure 4.
	pollution loads on the ambient air and noise quality	
	shall be closely monitored during construction phase.	
	Adequate measures shall be made to reduce ambient	
	air and noise level during construction phase, so as to	
	conform to the stipulated standards by CPCB / SPCB.	
ii.	Noise level survey shall be carried as per the	Ambient noise levels are being
	prescribed guidelines and report in this regard shall	maintained. Ambient monitoring is
	be submitted to Regional Officer of the Ministry as a	being done recently by NABL
	part of six-monthly compliance report.	accredited laboratory. Test reports are
		enclosed as Annexure 4.
iii.	Acoustic enclosures for DG sets, noise barriers for	Existing DG sets has been provided
	ground-run bays, ear plugs for operating personnel	with stack of adequate height and
	shall be implemented as mitigation measures for	inbuilt enclosure. Also, ear plugs are
	noise impact due to ground sources.	being provided to workers and
		construction activities are confined to
		construction site only.

Energy Conservation Measures:

SI.No.	Conditions	Reply
i.	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall	Agreed. ECBC guidelines is being followed in the project.
	be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.	
ii.	Outdoor and common area lighting shall be LED.	Agreed, LED lights are being used in the project premises. Further, in the proposed buildings LED lights will be provided.
iii.	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall,	The same is being complied as per ECBC specifications.

	window, and roof u-values shall be as per ECBC	
	specifications.	
iv.	Energy conservation measures like installation of	LED lights are being provided in the
	CFLs/ LED for the lighting the area outside the	buildings and in addition, solar energy
	building should be integral part of the project design	has been proposed as energy
	and should be in place before project commissioning.	conservation.
v.	Solar, wind or other Renewable Energy shall be	Solar power plant of capacity 3 MW
	installed to meet electricity generation equivalent to	has been proposed. Presently, process
	1% of the demand load or as per the state level/ local	for taking quotations has been
	building bye-laws requirement, whichever is higher.	initiated for installation of 1 MW solar
		power plant as phase I. Vendors are
		being finalized considering technical
		and commercial aspects.
vi.	Solar power shall be used for lighting in the	Solar power plant of capacity 3 MW
	apartment to reduce the power load on grid. Separate	has been proposed. Presently, process
	electric meter shall be installed for solar power. Solar	for taking quotations has been
	water heating shall be provided to meet 20% of the	initiated for installation of 1 MW solar
	hot water demand of the commercial and institutional	power plant as phase I. Vendors are
	building or as per the requirement of the local	being finalized considering technical
	building bye-laws, whichever is higher. Residential	and commercial aspects.
	buildings are also recommended to meet its hot water	
	demand from solar water heaters, as far as possible.	

Waste Management:

SI.No.	Conditions	Reply
i.	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.	Permission for solid waste disposal has been obtained; copy of the same is attached along as Annexure 7 .
ii.	Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Muck generated from construction activities is being disposed off in environmentally safe manner. Further, dust mitigation measures are being adopted like water sprinkling, tarpaulin sheets etc. so that there will be minimum impact on the environment.
iii.	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.	Separate wet and dry bins have been provided for segregation of solid waste.

iv.	Organic waste compost/ Vermiculture pit/ Organic	The Institute is complying with the
	Waste Converter within the premises with a	Solid Waste Management Rules, 2016.
	minimum capacity of 0.3 kg /person/day must be	The solid waste is being duly
	installed.	segregated into biodegradable and non-
		biodegradable components.
		Biodegradable waste is being
		composted by use of Mechanical
		composter.
v.	All non-biodegradable waste shall be handed over to	The same is being complied. Inert
	authorized recyclers for which a written tie up must	waste is being dumped to authorized
	be done with the authorized recyclers.	dumping site. The recyclable waste is
	, and the second	being sold to resellers.
vi.	Any hazardous waste generated during construction	Hazardous waste is generated at
	phase, shall be disposed off as per applicable rules	construction site like used oil from DG
	and norms with necessary approvals of the State	sets, empty containers etc. which are
	Pollution Control Board.	being taken care by the contractor only.
		A copy for the Hazardous waste
		approval from PPCB is attached as
		Annexure 7a
vii.	Use of environment friendly materials in bricks,	Fly ash bricks and fly ash based cement
	blocks and other construction materials, shall be	are being used in the project.
	required for at least 20% of the construction material	and the grant and the special
	quantity. These include Fly Ash bricks, hollow	
	bricks, AACs, Fly Ash Lime Gypsum blocks,	
	Compressed earth blocks, and other environment	
	friendly materials.	
viii.	Fly ash should be used as building material in the	DDC Coment is being used which is
V111.	construction as per the provision of Fly Ash	=
	1 1	•
	Notification of September, 1999 and amended as on	cement is being used in the buildings
	27th August, 2003 and 25 th January, 2016. Ready	under construction.
	mixed concrete must be used in building	
•	construction.	Company
ix.	Any wastes from construction and demolition	Construction waste is being managed
	activities related thereto shall be managed so as to	as per Construction and Demolition
	strictly conform to the Construction and Demolition	Rules, 2016.
	Waste Management Rules, 2016.	
х.	Used CFLs and TFLs should be properly collected	Agreed.
	and disposed off/sent for recycling as per the	
	prevailing guidelines/ rules of the regulatory	
	authority to avoid mercury contamination	

Green Cover:

SI.No.	Conditions	Reply
i.	No tree can be felled/transplant unless exigencies	Agreed. The same is being complied.
	demand. Where absolutely necessary, tree felling	
	shall be with prior permission from the concerned	
	regulatory authority. Old trees should be retained	
	based on girth and age regulations as may be	
	prescribed by the Forest Department. Plantations to	
	be ensured species (cut) to species (planted).	
ii.	Where the trees need to be cut with prior permission	No tree cutting is involved in the
	from the concerned local Authority, compensatory	project.
	plantation in the ratio of 1:10 (i.e. planting of 10	
	trees for every 1 tree that is cut) shall be done and	
	maintained. Plantations to be ensured species (cut)	
	to species (planted). Area for green belt development	
	shall be provided as per the details provided in the	
	project document.	
iii.	Topsoil should be stripped to a depth of 20 cm from	During construction activities, the top
	the areas proposed for buildings, roads, paved areas,	soil excavated is being stored and used
	and external services. It should be stockpiled	for the development of green belt
	appropriately in designated areas and reapplied	within the project premises.
	during plantation of the proposed vegetation on site.	

Transport:

SI.No.	Conditions	Reply
i.	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. d. Parking norms as per local regulation.	
ii.	Vehicles hired for bringing construction material to	NO construction activity occurred
	the site should be in good condition and should have	during the period ending on
	a pollution check certificate and should conform to	31.03.2024. Therefore, no construction

	applicable air and noise emission standards be	materials	were	bring	to	the	project
	operated only during non-peak hours.	premises.					
iii.	A detailed traffic management and traffic	Agreed.					
	decongestion plan shall be drawn up to ensure that						
	the current level of service of the roads within a 05						
	kms radius of the project is maintained and improved						
	upon after the implementation of the project. This						
	plan should be based on cumulative impact of all						
	development and increased habitation being carried						
	out or proposed to be carried out by the project or						
	other agencies in this 05 Kms radius of the site in						
	different scenarios of space and time and the traffic						
	management plan shall be duly validated and						
	certified by the State Urban Development						
	department and the P.W.D./ competent authority for						
	road augmentation and shall also have their consent						
	to the implementation of components of the plan						
	which involve the participation of these						
	departments.						

Human Health Issues:

SI.No.	Conditions	Reply
i.	All workers working at the construction site and	Personal Protection Equipment's
	involved in loading, unloading, carriage of	(PPE) is being provided to
	construction material and construction debris or	construction workers for safety.
	working in any area with dust pollution shall be	
	provided with dust mask.	
ii.	For indoor air quality the ventilation provisions as per	Agreed. The same is being followed.
	National Building Code of India.	
iii.	Emergency preparedness plan based on the Hazard	Agreed.
	identification and Risk Assessment (HIRA) and	
	Disaster Management Plan shall be implemented.	
iv.	Provision shall be made for the housing of	All the mandatory facilities are being
	construction labor within the site with all necessary	provided at construction site.
	infrastructure and facilities such as fuel for cooking,	
	mobile toilets, mobile STP, safe drinking water,	
	medical health care, creche etc. The housing may be	
	in the form of temporary structures to be removed	
	after the completion of the project.	
v.	Occupational health surveillance of the workers shall	Agreed. Regular health check-up of
	be done on a regular basis.	the worker is being done.

vi.	A First Aid Room shall be provided in the project	A dispensary is already present
	both during construction and operations of the	within the campus.
	project.	

Miscellaneous:

SI.No.	Conditions	Reply
i.	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.	Advertisement has been published in the newspapers regarding grant of EC; copy of the same is enclosed along as Annexure 8.
ii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Copies of the Environmental Clearance has been submitted to the DC Office, Patiala and MC, Patiala. Copy of the acknowledgement is enclosed as Annexure 9.
iii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Environmental Clearance letter along with six-monthly compliances have been uploaded on the official website. Screen shot for the same is enclosed as Annexure 10
iv.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Six monthly compliance reports are being regularly submitted to the ministry of Environment, Forest and Climate. The screenshot for the same is enclosed as Annexure 11 .
V.	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the	The institute is having well defined environment policy.

		,
	board resolution in this regard shall be submitted to	
	the MoEF&CC as a part of six-monthly report.	
vi.	A separate Environmental Cell both at the project	Separate Environmental Cell has
	and company head quarter level, with qualified	already been constituted to deal with
	personnel shall be set up under the control of senior	environmental related issues.
	Executive, who will directly report to the head of the	on thomas in the same is a con-
	organization.	T) () (1) () () () ()
vii.	Action plan for implementing EMP and	EMP will be implemented. In addition
	environmental conditions along with responsibility	to this, CSR activities has been done
	matrix of the company shall be prepared and shall be	regularly. Rs. 28.993 crores have been
	duly approved by competent authority. The year	spent on the CSR activities till 31st
	wise funds earmarked for environmental protection	March, 2024. Detailed CSR activities
	measures shall be kept in separate account and not to	is provided in Annexure 12.
	be diverted for any other purpose. Year wise	1
	progress of implementation of action plan shall be	
	reported to the Ministry/ Regional Office along with	
	the Six-Monthly Compliance Report.	
viii.	The project proponent shall submit the	Environmental statement for each
	environmental statement for each financial year in	financial year in Form-V is being
	Form-V to the concerned State Pollution Control	submitted to PPCB. A copy for the
	Board as prescribed under the Environment	same is enclosed as Annexure 13
	(Protection) Rules, 1986, as amended subsequently	
	and put on the website of the company.	
ix.	The project proponent shall inform the Regional	Consent to Establish for Expansion has
174.	Office as well as the Ministry, the date of financial	already been obtained as per the
	closure and final approval of the project by the	revised Environmental Clearance and
	concerned authorities, commencing the land	copy of CTE letter is attached as
	development work and start of production operation	Annexure 5 . Further, application for
	by the project.	CTE extension has been filed which is
		in process. Acknowledgement of the
		same is enclosed as Annexure 5a.
х.	The project authorities must strictly adhere to the	Stipulations made by the State
	stipulations made by the State Pollution Control	Pollution Control Board and the State
	Board and the State Government.	Government are being strictly
		followed.
xi.	The project proponent shall abide by all the	Agreed.
/AI.	commitments and recommendations made in the	1.5.200.
	EIA/EMP report and also that during their	
	presentation to the Expert Appraisal Committee.	
xii.	No further expansion or modifications in the plant	Noted, No further expansion or
	shall be carried out without prior approval of the	modification will be done without prior
	Ministry of Environment, Forest and Climate	approval of the Ministry of
	Change (MoEF&CC).	
		<u> </u>

		Environment, Forest and Climate Change (MoEF&CC).
xiii.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed.
xiv.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted.
XV.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted.
xvi.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	Full cooperation being extended to the officer of the Regional Office and PPCB and requisite data/ information /monitoring reports being given as demanded by them.
xvii.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	Noted.
xviii.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Not applicable, as 30 days' time period has been completed & no appeal has been made.

Proper Conversity, bladson Road, Pathila



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY PUNJAB

Ministry of Environment and Forests, Government of India

O/O Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patlala -- 147 001 Telefax:- 0175-2215636

No. SEIAAV 3777

Registered

Dated: 26-6-11

To

Sh. Gurbinder Singh, Registrar Thapar University, Bhadson Road, Patiala.

Subject: Environmental Clearance under ETA notification dated 14.09.2006 for construction of "Thapar University" in the revenue estate of Thapar University, Bhadson Road, Patiala.

This has reference to your application and subsequent presentation given before the State Level Expert Appraisal Committee (SEAC) seeking prior environmental clearance for subject cited project as required under the EIA Notification, 2006. The proposal has been appraised as per procedure prescribed under the provisions of EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, 1-A, conceptual plan, EIA study report and the additional clarifications furnished in response to the observations of the SEAC.

It is inter-alia noted that the proposal involves development of project namely "Thapar University" at Bhadson Road, Patiala, Punjab in an area of 249.13 acre (10,08,194.06 sq m). The total builtup area is 309416.91 sqm. The land has been transferred, vide Memo No. 902-TE(I)-66/1191 dated 20.06.1967 in the name of project proponent. The total cost of the project is Rs. 118.77 crores. The total population of the University will be 8374 persons. Total water requirement for the project will be 875 KLD which will be met through the tubewells. The total wastewater generation from the project will be 700 KLD, which will be treated in a STP of 1 MLD capacity within the project premises. In Summer 1144 KLD of water will be required for irrigation @ 5.5 lit/sqm of green area. In winter 374 KLD of water will be required for irrigation @ 1.8 lit/sqm of green area, and remaining 326 KLD will be discharged on 10 acre of green area which will be developed under Karnal Technology. In monsoon 104 KLD of water will be required for irrigation @ 1.8 lit/sqm, and remaining 596 KLD will be discharged on 10 acre of green area which will be developed under

Cis

Karnal Technology. The project proponent has proposed to provide 12 rainwater harvesting pits for tapping of rain water to recharge the aquifer out of which 4 have already installed. 58555 kl/year of rainwater will be harvested and recharged. The total quantity of solid waste to be generated from the proposed project has been estimated as 2.6 MT/Day, The solid waste will be segregated to biodegradable and non-biodegradable waste as per MSW Rules, 2000. The recyclable inorganic waste will be sold to local reselters. Separate area will be earmarked for handling of solid waste. Biodegradable waste shall be recycled by using mechanical composter. Any excess waste or non-usable will be sent to authorized dumping site for which NOC from MC has already been obtained. The e-waste is handled and managed as per the E-waste (Management & Handling) Rules, 2011. The used oil from the D.G. sets is sold out to the registered recyclers as per the provisions of the Hazardous Waste (Management, Handling & Transboundary Movement), Rules, 2008.

The total load of electricity required for proposed project is 5915 KW which is supplied by PSPCL. The project proponent has proposed to install 8 DG sets 3 of 400 KVA, 1 of 500KVA, 1 of 380KVA, 1 of 320 KVA, 1 of 120 KVA and 1 of 115 KVA capacity for backup power supply. Solar mixed street lighting has been proposed for the conservation of energy and LED lights shall be used for lighting.

Sh. Gurbinder Singh, Registrar of Thapar University, Patiala, will be responsible for implementation of EMP (Environment Management plan) / CSR (Corporate Social Responsibility). Rs. 240 lacs will be incurred for implementation of EMP as capital cost and Rs.11 Lacs will be incurred as recurring cost., 1% of total project cost i.e Rs. 1.1 crore will be used for CSR which, beside other things, will include:

A. EDUCATION

- Providing toilet facilities in nearby schools for girls.
- ii) Adoption of schools for providing better infrastructures
- (ii) Scholarships to meritorious students in and around the area.
- iv) Programs for primary education, specifically for girl children in and around the area.

B. HEALTH

i) Medical facilities, periodical health check-up and vaccination for construction labour during



C. CORPORATE SOCIAL RESPONSIBILITY

- Medical facilities, periodical health check-up and vaccination for construction labour during construction period.
- ii) Dispensary for welfare of villager at the space offered by the villagers.
- iii) Organizing Health camps in villages adjoining the project site.

D. SOCIAL AWARENESS PROGRAMMES

On issues like saving and well-upbringing of girl child, discouraging of alcohol, family feuds, etc., promoting tree plantations, rain water recharging, solar street lighting system in and around the area, etc

The case was considered by the SEIAA in its 73rd meeting held on 31.10.2014 and decided to issue directions under section 5 of the Environment (Protection) Act, 1986 as delegated by Ministry of Environment & Forests vide notification No. S.O. 637 (E) dated 28.02.2014 to restrain the promoter company from carrying out any further construction or operation activity of the project till the environmental clearance under EIA notification dated 14.09.2006 is obtained. The said directions were issued vide letter no. 3287 dated 07.11.2014.

The case was considered by the SEAC in its 103rd meeting held on 18.11:2014 wherein, the ToRs were issued to the project proponent vide letter no. 3491 dated 26.11.2014. The case was lastly considered by the SEAC in its 117th meeting held on 20.05.2015, wherein, the Committee observed that the project proponent has provided adequate and satisfactory clarifications of the observations raised by it, therefore, the Committee awarded 'Silver Grading' to the project proposal and decided to forward the case to the SEIAA with the recommendation to grant environmental clearance to the project proponent under EIA notification dated 14.09.2006 subject to certain conditions in addition to the proposed measures.

Thereafter, the case was considered by the SEIAA in its 88th meeting held on 28.02.2015. The SEIAA observed that the case stands recommended by SEAC and the Committee awarded 'Silver Grading' to the project proposal. The Authority looked into all the aspects of the project proposal in detail and was satisfied with the same.

Therefore, the Authority decided to grant environmental clearance for development of their Project namely "Thapar University" in an area of 249.13 acres

Q.

having total built up area 3,09,416.91 sqm at Bhadson Road, Patiala, Punjab, subject to the conditions as proposed by the SEAC, in addition to the proposed measures. Accordingly, SEIAA, Punjab hereby accords necessary environmental clearance for the above project under the provisions of EIA Notification dated 14.09.2006 and its subsequent amendments, subject to strict compliance of terms and conditions as follows:

PART A - Specific Conditions:

I. Pre-Construction Phase

- (i) "Consent to establish" shall be obtained from Punjab Pollution Control Board under Air (Prevention & Control of Pollution) Act, 1981 and Water (Prevention & Control of Pollution) Act, 1974 and a copy of the same shall be submitted to the Ministry of Environment & Forests / State Level Environment Impact Assessment Authority before the start of any construction work at site.
- (II) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- (iii) A first aid room will be provided in the project both during construction and operation phase of the project.
- (iv) The approval of competent authority shall be obtained for structural safety of the buildings due to earthquakes, adequacy of fire fighting equipments etc. as per National Building Code including protection measures from lightning.
- Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, disposal of waste water & solid waste in an environmentally sound manner, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- (vi) Any appeal against this environmental dearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

II, Construction Phase:

- (i) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- (ii) Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed off after taking the necessary precautions for general safety and health aspects of people with the approval of competent authority.
- (iii) Construction spoils, including bituminous material and other hazardous material, must not be allowed to contaminate watercourses and the dump sites for such material must be secured, so that they should not leach into the groundwater.



- (iv) Construction/provision of the STP, tubewell, DG Sets, Utilities etc, earmarked by the project proponent on the layout plan, should be made in the earmarked area only. In any case the position/location of these utilities should not be changed later-on
- (v) Vehicles hired for bringing construction material to the site and other machinery to be used during construction should be in good condition and should conform to applicable air and noise emission standards.
- (vi) Ambient noise levels should conform to prescribed standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.
- (vii) Fly ash should be used as construction material in the construction as per the provisions of Fly Ash Notification of September, 1999 and as amended on August, 2003 and notification No. S.O. 2804 (E) dated 03.11.2009 (This condition is applicable only if the project is within 100 Km of Thermal Power Station).
- (viii) Ready mixed concrete should be used in building construction as far as possible.
- (IX) Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices.
- (x) The project proponent shall adopt dual plumbing system for reuse of treated wastewater for flushing system & HVAC etc
- (XI) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- (xii) Adequate steps shall be taken to conserve energy by limiting the use of glass, provision of proper thermal insulation and taking measures as prescribed under the Energy Conservation Building Code.
- (xiii) The approval of competent authority shall be obtained for structural safety of the buildings due to earthquakes, adequacy of fire fighting equipments etc. as per National Building Code including protection measures from lightning.
- (XIV) The diesel generator sets to be used during construction phase should be of low sulphur diesel type and should conform to the provisions of Environment (Protection) Act, 1986 prescribed for air and noise emission standards.
- (xv) The project proponent will provide dual plumbing system for reuse of treated wastewater for flushing/ HVAC purposes etc. and colour coding of different pipe lines carrying water/wastewater/ treated wastewater as follows:

a. Fresh water: Blue

b. Untreated wastewater: Black

c. Treated wastewater: Green

(for reuse)
d. Treated wastewater: Yel

 d. Treated wastewater: Yellow (for discharge)

e. Storm water: Orange

(xvi) The installation of sewage treatment plant (STP) and adequacy of disposal system should be certified by Punjab Pollution Control Board and a report in

(P

this regard should be submitted to the Ministry of Environment & Forests/State Level Environment Impact Assessment Authority before the project is commissioned for operation.

III. Operation Phase and Entire Life

- "Consent to operate" shall be obtained from Punjab Pollution Control Board under Air (Prevention & Control of Pollution) Act, 1981 and Water (Prevention & Control of Pollution) Act, 1974 and a copy of the same shall be submitted to the Ministry of Environment & Forests / State Level Environment Impact Assessment Authority at the time of start of operation.
- ii) The project proponent shall discharge all the treated waste water within the project premises onto land for irrigation/ plantation.
- The project proponent shall provide electromagnetic flow meter at the outlet of the water supply, outlet of the STP and any pipeline to be used for re-using the treated wastewater back into the system for flushing and for horticulture purpose/green etc. and shall maintain a record of readings of each such meter on daily basis.
- Iv) The position / location of the STP, tubewell, DG Sets, Utilities etc, Installed by the project proponent as per the provisions made in the layout plan, should not be changed later-on under any circumstances.
- v) Rainwater harvesting for rooftop run-off should be implemented. Before recharging the rooftop run-off, pretreatment must be done to remove suspended matter, oil and grease. However, run off from gardens/green area/roads/pavements may also be connected with the ground water recharging system after adequate treatment as per the CGWA guidelines.
- vi) The solid waste generated should be properly collected and segregated. The recyclable solid waste shall be sold out to the authorized vendors and inert shall be sent to disposal facility. The Bio-degradable solid waste shall be adequately treated as per the scheme submitted by the project proponent. Prior approval of competent authority should be obtained, if required.
- vii) Adequate & appropriate pollution control measures should be provided to control fugitive emissions to be emitted within the complex.
- viii) Hazardous waste/E-waste should be disposed off as per Rules applicable and with the necessary approval of the Punjab Pollution Control Board.
- ix) Incremental pollution loads on the ambient air quality, noise and water quality should be periodically monitored.
- X) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- xi) The project proponent shall obtain completion and occupancy certificate from the Competent Authority and submit a copy of the same to the SEIAA, Punjab.
- xii) Adequate treatment facility for drinking water shall be provided, if required.

(z

- xiii) The green belt along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous species/variety.
- xiv) The project proponent should take adequate and appropriate measures to contain the ambient air quality within the prescribed standards. The proposal regarding mitigation measures to be taken at site should be submitted to the Ministry of Environment & Forests/ State Level Environment Impact Assessment Authority within three months.
- xv) Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating.
- xvi) A report on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about machinery of air conditioning, lifts, lighting, building materials, R & U Factors etc. and submitted to the respective Regional office of MoEF, the Zonai Office of CPCB and the SPCB/SEIAA in three months time.
- xvII) Environmental Management Cell shall be formed during operation phase which will supervise and monitor the environment related aspects of the project.
- xviii) Ambient noise levels should conform to prescribed standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.
- xix) Separation of drinking water supply and treated sewage supply should be done by the use of different colors.
- xx) Fixtures for showers, tollet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.

PART B - General Conditions:

I. Pre-Construction Phase

- i) This environmental clearance will be valid for a period of five years from the date of its issue or till the completion of the project, whichever is earlier.
- II) The environmental safeguards contained in the application of the promoter / mentioned during the presentation before State Level Environment Impact Assessment Authority/State Expert Appraisal Committee should be implemented in letter and spirit.
- All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest (Conservation) Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, by project proponents from the competent authorities including Punjab Pollution Control Board and from other statutory bodies as applicable. The project proponent shall also obtain permission from the NBWL, if applicable.

(Pr

- iv) The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Punjab Pollution Control Board. The advertisement should be made within seven days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional Office, Ministry of Environment & Forests, Chandigarh and SEIAA, Punjab.
- v) These stipulations would be enforced among others under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, Environmental (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- vi), The project proponent shall obtain permission from the CGWA for abstraction of groundwater & digging of borewell(s) and shall not abstract any groundwater without prior written permission of the CGWA, even if any borewell(s) exist at site
- Vii) The project proponent shall comply with the conditions imposed by the Competent Authority while granting CLU vide letter no. 13157 dated 16.09.2013.
- viii) A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parlshad/ Municipal Corporation, Urban local body and the local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- The State Environment Impact Assessment Authority, Punjab reserves the right to add additional safeguards/ measures subsequently, if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguards/ measures in a time bound and satisfactory manner.

II. Construction Phase

- i) The environmental safeguards contained in the application of the promoter / mentioned during the presentation before State Level Environment Impact Assessment Authority/State Expert Appraisal Committee should be implemented in letter and spirit.
- ii) The entire cost of the environmental management plan (i.e. capital cost as well as recurring cost) will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/residents society under proper MOU after obtaining prior permission of the Punjab Pollution Control Board.
- Iti) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by mail) to the respective Regional office of MoEF, the Zonal Office of CPCB, the SPCB and SEIAA, Punjab.

(Ga

- Officials from the Regional Office of Ministry of Environment & Forests, Chandigarh / State Level Environment Impact Assessment Authority / State Level Expert Appraisal Committee / Punjab Pollution Control Board who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to State Environment Impact Assessment Authority should be forwarded to the CCF, Regional Office of Ministry of Environment & Forests, Chandigarh and State Level Environment Impact Assessment Authority, Punjab.
- v) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by State Environment Impact Assessment Authority, Punjab.
- vi) Separate distribution pipelines be laid down for use of treated effluent / raw water for horticultural/gardening purposes with different colour coding.
- vii) The project proponent shall adhere to the commitments made in the Environment Management Plan and Corporate Social Responsibility and shall spend the amount as proposed or atleast minimum required to be spent under the provisions of the Companies Act 1956, whichever is higher.
- viil) The State Environment Impact Assessment Authority, Punjab reserves the right to add additional safeguards/ measures subsequently, if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguards/ measures in a time bound and satisfactory manner.
- ix) Separation of drinking water supply and treated sewage supply should be done by the use of dual plumbing line.

III. Operation Phase and Entire Life

 $(\)$

- Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No. 460 of 2004 as may be applicable to this project and decisions of any Competent Court, to the extent applicable.
- ii) The project proponent shall ensure that there will be no problem/ public nuisance due to parking of vehicles outside the campus.
- iii) The entire cost of the environmental management plan (i.e. capital cost as well as recurring cost) will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/residents society under proper MOU after obtaining prior permission of the Punjab Pollution Control Board.
- iv) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by mail) to the respective Regional office of MoEF, the Zonal Office of CPCB, the SPCB and SEIAA, Punjab.
- v) Officials from the Regional Office of Ministry of Environment & Forests, Chandigarh / State Level Environment Impact Assessment Authority / State Level Expert Appraisal Committee / Punjab Pollution Control Board who would



be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to State Environment Impact Assessment Authority should be forwarded to the CCF, Regional Office of Ministry of Environment & Forests, Chandigarh and State Level Environment Impact Assessment Authority, Punjab.

- VI) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM_{2.5}, PM₁₀, SO₂, NO_x, CO, Pb, Ozone (amblent air as well as stack emissions) shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- Vii) The project proponent shall adhere to the commitments made in the Environment Management Plan and Corporate Social Responsibility and shall spend the amount as proposed or atleast minimum required to be spent under the provisions of the Companies Act 1956, whichever is higher. The project proponent shall submit 6 monthly compliance report of implementation of CSR activities.
- The State Environment Impact Assessment Authority, Punjab reserves the right to add additional safeguards/ measures subsequently, if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguards/ measures in a time bound and satisfactory manner.

Member Secretary (SEIAA)

Endst. No._____

Dated____

A copy of the above is forwarded to the following for information & further necessary action please,

- The Secretary to Govt. of India, Ministry of Environment and Forest, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi.
- The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cumoffice Complex, East Arjun Nagar, New Delhi.
- 3. The Chairman, Punjab State Power Corporation Ltd., The Mall, Patiala.
- 4. The Deputy Commissioner, Patiala.
- 5. The Chairman, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala.
- 6. The Chief Conservator of Forests (North), Ministry of Environment and Forest, Regional Office, Bays No.24-25, Sector-31-A, Chandigarh.
- The Chief Town Planner, Department of Town and Country Planning, Punjab, 6th Floor, PUDA Bhawan, Phase-8, Mohali
- 8. Monitoring Cell, Ministry of Environment and Forest, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi.

- 9. The Director (Environment), Ministry of Environment and Forest, Northern Regional Office, Bays No.24-25, Sector-31-A, Chandigarh. The detail of the authorized Officer of the project proponent is as under:
 - a) Name of the applicant

Sh. Gurbinder Singh, Registrar

b) Mobile/Phone No.

0175-2364498

c) E-mail

registrar@thapar.edu

10. The Environmental Engineer (Computers), Punjab Pollution Control Board, Head Office, Patiala for uploading this document on the web site of the State Level Environment Impact Assessment Authority.

Jk2

Member Secretary (SEIAA)

Thanar University, Bharlson Boarf, Patiala



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY PUNJAB

Ministry of Environment and Forests, Government of India

O/O Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala - 147 001

Telefax:- 0175-2215636

No. SEIAA/914

REGISTERED

Dated: 25.01.2016

To

Sh. Gurbinder Singh, Registrar Thapar University, Bhadson Road, Patiala.

Subject:

Application for obtaining Environmental Clearance under EIA notification dated 14.09.2006 for expansion of "Thapar University" in the revenue estate of Thapar University, Bhadson Road, Patiala

This has reference to your application and subsequent presentation given before the State Level Expert Appraisal Committee (SEAC) seeking prior environmental clearance for subject cited project as required under the EIA Notification, 2006. The proposal has been appraised as per procedure prescribed under the provisions of EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, 1-A, conceptual plan, EIA study report and the additional clarifications furnished in response to the observations of the SEAC.

It is inter-alia noted that the proposal involves expansion of construction of project namely "Thapar University" at Bhadson Road, Patiala, Punjab. The total land area of the project before expansion was 1008194.06 sqm and after expansion will be 1008194.06 sqm. The land has been transferred, vide Memo No. 902-TE(I)-66/1191 dated 20.06.1967 in the name of project proponent. The total built up area before expansion was 309416.91 sgm and after expansion will be 333080.53 sqm. The total cost of the project is Rs. 111.67 crores. The total residential population of the University will be 9314 persons and the floating population will be 6410 person.

The total water requirement for the project before expansion was 875 KLD and after expansion will be 1.7 MLD.which will be met through the tubewells. The total wastewater generation from the project will be 1.27 MLD, which will be treated in a STP to be installed within the project premises.

The project proponent has proposed to use 333 KL/day of treated wastewater for flushing purpose, and remaining 937 KL/day will be used for irrigation of green area in summer season. In winter season, 333 KL/day of treated wastewater will be used for flushing purpose, and 422 KL/day will be used for irrigation of green area. In rainy season, 333 KL/day of treated wastewater will be used for flushing purpose and 117 KL/day will be used for irrigation of green area. Excess treated wastewater will be used for 10 acres of land available under Karnal Technology. Treated waste water will also be used for the construction purpose.

The project proponent has already provided 12 rainwater harvesting pits before expansion for tapping of rain water to recharge the aquifer. Additional 8 nos. of rainwater recharging pits will be established in the proposed expansion.

The solid waste generation from the existing site is 2.6 MT/Day and the total solid waste generation after expansion of the proposed project during operation phase has been estimated about 4.9 MT/Day. The provision of chute system will be made in new blocks to be added for collection of solid waste. The solid waste is segregated to biodegradable and non-biodegradable waste as per MSW Rules, 2000. The recyclable inorganic waste is sold to local resellers. Separate area is earmarked for handling of solid waste. Biodegradable waste shall be recycled by using mechanical composter Any excess waste or non-usable is sent to authorized dumping site for which NOC from MC has already been obtained which is segregated into bio-degradable and non-biodegradable waste as per the MSW Rules, 2000. All excavated soil will be consumed within the campus for filling purposes and no soil will be disposed off outside. The e-waste is handled and managed as per the E-waste (Management & Handling) Rules, 2011. The used oil from the D.G. sets is sold out to the registered recyclers as per the provisions of the Hazardous Waste (Management, Handling & Transboundary Movement), Rules, 2008.

The total load of electricity before expansion was 4140 KW and 8 DG sets 3 of 400 KVA, 1 of 500KVA, 1 of 380KVA, 1 of 320 KVA, 1 of 120 KVA and 1 of 115 KVA capacity for backup power supply. After expansion, the total load of electricity will be 8800 KW which will be taken from the PSPCL. The project proponent has also proposed to install additional 9 DG sets (7 of 750 KVA, 1 of 380KVA, 1 of 180KVA).LED lights has been proposed for the lighting. The following aspects have been proposed in design and specification to reduce the energy load of the proposed buildings:-

- i. Use of highly efficient autoclaved aerated concrete block walls having low U- Values.
- ii. Use of 50mm thick XPS board for overdeck insulation to reduce heat ingress to the structure.
- iii. Natural ventilated common spaces.
- iv. Use of solar water heating system.
- v. Double glazed unitis with high performance glass for learning blocks.
- vi. Use of efficient sanitary fixture for water saving.
- vii. Highly efficient and CFC free refrigerant for chillers and AC units.

Sh. Gurbinder Singh, Registrar of Thapar University, Patiala, will be responsible for implementation of EMP (Environment Management plan) / CSR (Corporate Social Responsibility). Rs. 236 lacs will be incurred for implementation of EMP as capital cost and Rs.11 Lacs will be incurred as recurring cost.. 1% of total project cost i.e Rs. 1.356 will be used for CSR which, besides other things, includes support to build IT infrastructure in computer lab at ITI Patiala and BN Khalsa school, patiala, Support to provide lab facilities for modern education & training for students in civil server course, adoption of Govt. School at village ablowal for construction and face lift of toilets and drinking water facility, plantation and cleanliness drive in and around university campus, blood donation camps, health checkup camps, old age home support services, construction of bus shelters, water

treatment plant in school at Ablowal, CCTV camera to Patiala police, computer and furniture to women polytechnic, toilet in environment part and civil lines, scholarship merit scheme.

The case was considered by the SEAC in its 134th meeting held on 23.10.2015 wherein, the ToRs were issued to the project proponent vide letter no. 5468 dated 18.11.2015. The case was lastly considered by the SEAC in its 137th meeting held on 04.12.2015, wherein, the Committee observed that the project proponent has provided adequate and satisfactory clarifications of the observations raised by it, therefore, the Committee awarded 'Silver Grading' to the project proposal and decided to forward the case to the SEIAA with the recommendation to grant environmental clearance to the project proponent under EIA notification dated 14.09.2006 subject to certain conditions in addition to the proposed measures.

Thereafter, the case was considered by the SEIAA in its 101st meeting held on 13.01.2016. The SEIAA also observed that the case stands recommended by SEAC and the Committee awarded 'Silver Grading' to the project proposal. The SEIAA looked into the details of the case and was satisfied with the same. Therefore, the Authority decided to accept the recommendations of SEAC and grant environmental clearance to the project proponent for expansion of "Thapar University in an area of 249.13 acres having total built up area 3,33,080.53 sqm at Bhadson Road, Patiala, Punjab, subject to the conditions as proposed by the SEAC, in addition to the proposed measures. Accordingly, SEIAA, Punjab hereby accords necessary environmental clearance for the above project under the provisions of EIA Notification dated 14.09.2006 and its subsequent amendments, subject to strict compliance of terms and conditions as follows:

PART A - Specific Conditions:

III. Pre-Construction Phase

- (i) "Consent to establish" shall be obtained from Punjab Pollution Control Board under Air (Prevention & Control of Pollution) Act, 1981 and Water (Prevention & Control of Pollution) Act, 1974 and a copy of the same shall be submitted to the Ministry of Environment & Forests / State Level Environment Impact Assessment Authority before the start of any construction work at site.
- (ii) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- (iii) A first aid room will be provided in the project both during construction and operation phase of the project.
- (iv) The approval of competent authority shall be obtained for structural safety of the buildings due to earthquakes, adequacy of fire fighting equipments etc. as per National Building Code including protection measures from lightning.
- (v) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, disposal of waste water & solid waste in an environmentally sound manner, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- (vi) Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

IV. Construction Phase:

(i) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.

- (ii) Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed off after taking the necessary precautions for general safety and health aspects of people with the approval of competent authority.
- (iii) Construction spoils, including bituminous material and other hazardous material, must not be allowed to contaminate watercourses and the dump sites for such material must be secured, so that they should not leach into the groundwater.
- (iv) Construction/provision of the STP, tubewell, DG Sets, Utilities etc, earmarked by the project proponent on the layout plan, should be made in the earmarked area only. In any case the position/location of these utilities should not be changed later-on
- (v) Vehicles hired for bringing construction material to the site and other machinery to be used during construction should be in good condition and should conform to applicable air and noise emission standards.
- (vi) Ambient noise levels should conform to prescribed standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.
- (vii) The project proponent shall use only treated sewage/wastewater for construction activities and no fresh water for this purpose will be used. The project proponent shall treat sewage with UV/Ozonator technology prior to use in construction activities.
- (viii) Fly ash should be used as construction material in the construction as per the provisions of Fly Ash Notification of September, 1999 and as amended on August, 2003 and notification No. S.O. 2804 (E) dated 03.11.2009 (This condition is applicable only if the project is within 100 Km of Thermal Power Station).
- (ix) Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices. Ready mixed concrete should be used in building construction as far as possible.
- (x) The project proponent shall adopt dual plumbing system for reuse of treated wastewater for flushing system & HVAC etc.
- (xi) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- (xii) Adequate steps shall be taken to conserve energy by limiting the use of glass, provision of proper thermal insulation and taking measures as prescribed under the Energy Conservation Building Code.
- (xiii) The approval of competent authority shall be obtained for structural safety of the buildings due to earthquakes, adequacy of fire fighting equipments etc. as per National Building Code including protection measures from lightning.
- (xiv) The diesel generator sets to be used during construction phase should be of low sulphur diesel type and should conform to the provisions of Environment (Protection) Act, 1986 prescribed for air and noise emission standards.
- (xv) The project proponent will provide dual plumbing system for reuse of treated wastewater for flushing/ HVAC purposes etc. and colour coding of different pipe lines carrying water/wastewater/ treated wastewater as follows:

a. Fresh water: : Blue
b. Untreated wastewater: : Black
c. Treated wastewater : Green

(for reuse)

d. Treated wastewater : Yellow

(for discharge)

e. Storm water: Orange

- (xvi) The installation of sewage treatment plant (STP) and adequacy of disposal system should be certified by Punjab Pollution Control Board and a report in this regard should be submitted to the Ministry of Environment & Forests/State Level Environment Impact Assessment Authority before the project is commissioned for operation.
- (xvii) The project proponent shall provide chute system in new blocks to be added for collection of solid waste. The solid waste generated should be properly collected and proper onsite storage facility (covered) should be provided at site.

(xviii) The Project Propoent shall provide solar power plant of capacity 3.0 Mega Watt for its expansion project,

V. Operation Phase and Entire Life

- i) "Consent to operate" shall be obtained from Punjab Pollution Control Board under Air (Prevention & Control of Pollution) Act, 1981 and Water (Prevention & Control of Pollution) Act, 1974 and a copy of the same shall be submitted to the Ministry of Environment & Forests / State Level Environment Impact Assessment Authority at the time of start of operation.
- ii) The total water requirement for the project will be 1.70 ML/day, which shall be met through own tubewell.
- iii) The total wastewater generation from the project will be 1270 KL/day, which will be treated in a STP of capacity 1500 KL/day to be installed within the project premises. As proposed, 333 KL/day of treated wastewater shall be used for flushing purpose, 937 KL/day for irrigation of green area and remaining excess treated water shall be discharged into sewer in summer season. In winter season, 333 KL/day of treated wastewater will be used for flushing purpose, 422 KL/day for irrigation of green area and remaining excess treated water will be discharged into sewer. In rainy season, 333 KL/day of treated wastewater will be used for flushing purpose, 117 KL/day for irrigation of green area and remaining excess treated water will be discharged into sewer. The Project Propoent shall develop 10 acres land under Karnal technology to utilize all excess treated waste water.
- iv) The project proponent shall provide electromagnetic flow meter at the outlet of the water supply, outlet of the STP and any pipeline to be used for re-using the treated wastewater back into the system for flushing and for horticulture purpose/green etc. and shall maintain a record of readings of each such meter on daily basis.
- v) The position / location of the STP, tubewell, DG Sets, Utilities etc, installed by the project proponent as per the provisions made in the layout plan, should not be changed later-on under any circumstances.
- vi) Rainwater harvesting for rooftop run-off only should be implemented. Before recharging the rooftop run-off, pretreatment must be done to remove suspended matter, oil and grease.
- vii) The solid waste generated should be properly collected and segregated. The recyclable solid waste shall be sold out to the authorized vendors and inert shall be sent to disposal facility. The Bio-degradable solid waste shall be composted through mechanical composter. Prior approval of competent authority should be obtained, if required.
- viii) Adequate & appropriate pollution control measures should be provided to control fugitive emissions to be emitted within the complex.
- ix) Hazardous waste/E-waste should be disposed off as per Rules applicable and with the necessary approval of the Punjab Pollution Control Board.
- x) Incremental pollution loads on the ambient air quality, noise and water quality should be periodically monitored.
- xi) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- xii) The project proponent shall obtain completion and occupancy certificate from the Competent Authority and submit a copy of the same to the SEIAA, Punjab.
- xiii) Adequate treatment facility for drinking water shall be provided, if required.
- xiv) The green belt along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous species/variety.
- xv) The project proponent should take adequate and appropriate measures to contain the ambient air quality within the prescribed standards. The proposal regarding mitigation

- measures to be taken at site should be submitted to the Ministry of Environment & Forests/ State Level Environment Impact Assessment Authority within three months.
- xvi) Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating.
- xvii) A report on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about machinery of air conditioning, lifts, lighting, building materials, R & U Factors etc. and submitted to the respective Regional office of MoEF, the Zonal Office of CPCB and the SPCB/SEIAA in three months time.
- xviii) Environmental Management Cell shall be formed during operation phase which will supervise and monitor the environment related aspects of the project.
- xix) Ambient noise levels should conform to prescribed standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.
- xx) Separation of drinking water supply and treated sewage supply should be done by the use of different colors.
- xxi) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.

PART B - General Conditions:

I. Pre-Construction Phase

- i) This environmental clearance will be valid for a period of five years from the date of its issue or till the completion of the project, whichever is earlier.
- ii) The environmental safeguards contained in the application of the promoter / mentioned during the presentation before State Level Environment Impact Assessment Authority/State Expert Appraisal Committee should be implemented in letter and spirit.
- iii) All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest (Conservation) Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, by project proponents from the competent authorities including Punjab Pollution Control Board and from other statutory bodies as applicable. The project proponent shall not start any construction activity at site without obtaining permission from NBWL...
- iv) The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Punjab Pollution Control Board. The advertisement should be made within seven days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional Office, Ministry of Environment & Forests, Chandigarh and SEIAA, Punjab.
- v) These stipulations would be enforced among others under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, Environmental (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- vi) The project proponent shall obtain permission from the CGWA for abstraction of groundwater & digging of borewell(s) and shall not abstract any groundwater without prior written permission of the CGWA, even if any borewell(s) exist at site.
- vii) The project proponent shall obtain CLU from the competent authority, if any authority insists.
- viii) A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad/ Municipal Corporation, Urban local body and the local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.

- ix) The State Environment Impact Assessment Authority, Punjab reserves the right to add additional safeguards/ measures subsequently, if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguards/ measures in a time bound and satisfactory manner.
- x) The environmental clearance is subject to their obtaining prior clearance from Forestry & Wildlife angle including clearance from Standing Committee of the National Board for Wildlife as applicable. The grant of environmental clearance does not necessarily implies that forestry & wildlife clearance shall be granted to the project and proposal for forestry & wildlife clearance will be considered by the respective authorities on their merits and decision taken. The investment made in the project, if any, based on environmental clearance so granted, in anticipation of the clearance from Forestry & Wildlife angle shall be entirely at the cost & risk of the project proponent and Ministry of Environment, Forests & Climate Change/SEIAA, Punjab shall not be responsible in this regard in any manner.

II. Construction Phase

- i) The environmental safeguards contained in the application of the promoter / mentioned during the presentation before State Level Environment Impact Assessment Authority/State Expert Appraisal Committee should be implemented in letter and spirit.
- ii) The entire cost of the environmental management plan (i.e. capital cost as well as recurring cost) will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/residents society under proper MOU after obtaining prior permission of the Punjab Pollution Control Board.
- iii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by mail) to the respective Regional office of MoEF, the Zonal Office of CPCB, the SPCB and SEIAA, Punjab.
- iv) Officials from the Regional Office of Ministry of Environment & Forests, Chandigarh / State Level Environment Impact Assessment Authority / State Level Expert Appraisal Committee / Punjab Pollution Control Board who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to State Environment Impact Assessment Authority should be forwarded to the CCF, Regional Office of Ministry of Environment & Forests, Chandigarh and State Level Environment Impact Assessment Authority, Punjab.
- v) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by State Environment Impact Assessment Authority, Punjab.
- vi) Separate distribution pipelines be laid down for use of treated effluent / raw water for horticultural/gardening purposes with different colour coding.
- vii) The project proponent shall adhere to the commitments made in the Environment Management Plan and Corporate Social Responsibility and shall spent the amount as proposed or atleast minimum required to be spent under the provisions of the Companies Act 1956.
- viii) The State Environment Impact Assessment Authority, Punjab reserves the right to add additional safeguards/ measures subsequently, if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguards/ measures in a time bound and satisfactory manner.
- ix) Separation of drinking water supply and treated sewage supply should be done by the use of dual plumbing line.

III. Operation Phase and Entire Life

- Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No. 460 of 2004 as may be applicable to this project and decisions of any Competent Court, to the extent applicable.
- ii) The entire cost of the environmental management plan (i.e. capital cost as well as recurring cost) will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/residents society under proper MOU after obtaining prior permission of the Punjab Pollution Control Board.
- iii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by mail) to the respective Regional office of MoEF, the Zonal Office of CPCB, the SPCB and SEIAA, Punjab.
- Officials from the Regional Office of Ministry of Environment & Forests, Chandigarh / State Level Environment Impact Assessment Authority / State Level Expert Appraisal Committee / Punjab Pollution Control Board who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to State Environment Impact Assessment Authority should be forwarded to the CCF, Regional Office of Ministry of Environment & Forests, Chandigarh and State Level Environment Impact Assessment Authority, Punjab.
- v) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM_{2.5}, PM₁₀, SO₂, NO₃, CO, Pb, Ozone (ambient air as well as stack emissions) shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- vi) The project proponent shall adhere to the commitments made in the Environment Management Plan and Corporate Social Responsibility and shall spent the amount as proposed or atleast minimum required to be spent under the provisions of the Companies Act 1956.
- vii) The State Environment Impact Assessment Authority, Punjab reserves the right to add additional safeguards/ measures subsequently, if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguards/ measures in a time bound and satisfactory manner.

Sd/-Member Secretary (SEIAA)

Endst, No. 915-24 Dated 25.01.2016

A copy of the above is forwarded to the following for information & further necessary action please.

- 1. The Secretary to Govt. of India, Ministry of Environment and Forest, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi.
- The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-office Complex, East Arjun Nagar, New Delhi.
- 3. The Chairman, Punjab State Power Corporation Ltd., The Mall, Patiala.
- 4. The Deputy Commissioner, Patiala.
- 5. The Chairman, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala.
- 6. The Chief Conservator of Forests (North), Ministry of Environment and Forest, Regional Office, Bays No.24-25, Sector-31-A, Chandigarh.

- The Chief Town Planner, Department of Town and Country Planning, Punjab, 6^{th} 7. Floor, PUDA Bhawan, Phase-8, Mohali
- Monitoring Cell, Ministry of Environment and Forest, Paryavaran Bhawan, CGO 8. Complex, Lodhi Road, New Delhi.
- 9. The Director (Environment), Ministry of Environment and Forest, Northern Regional Office, Bays No.24-25, Sector-31-A, Chandigarh. The detail of the authorized Officer of the project proponent is as under:

Name of the applicant Sh. Gurbinder Singh, Registrar

b) Mobile/Phone No. 0175-2364498

c) E-mail registrar@thapar.edu

10. The Environmental Engineer (Computers), Punjab Pollution Control Board, Head Office, Patiala for uploading this document on the web site of the State Level Environment Impact Assessment Authority.

> Sd/-Member Secretary (SEIAA)

F. No. IA3-10/7/2021-IA.III

Government of India Ministry of Environment, Forest and Climate Change (IA.III Section)

> Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 3 Tel: 011-24695363 Email: lk.bokolia@nic.in

> > Date: 12th March, 2021

To,

Dr. Gurbinder Singh, Registrar M/s. Thapar Institute of Engineering and Technology

Bhadson Road, Patiala, Punjab-147004

Email: thaparinstitute20@gmail.com

Subject: Environment Clearance for Expansion of Educational Institute namely "Thapar Institute of Engineering and Technology (Deemed to be University)" from built up area from 3,33,080.53 sq m to 4,45,678.09 sqm at Khasra No. 926(6-5), 939 (7-13), 940 (5-18), etc., Bhadson Road, Patiala, Punjab, by M/s. Thapar Institute of Engineering and Technology – Regarding

Sir,

This has reference to your Application/ Proposal No. IA/PB/MIS/191842/2020; received on 11th January, 2021 through Parivesh Portal for grant of Environment Clearance (EC) for Expansion of Educational Institute namely "Thapar Institute of Engineering and Technology (Deemed to be University)" from built up area from 3,33,080.53 sq m to 4,45,678.09 sq m at Khasra No. 926(6-5), 939 (7-13), 940 (5-18), etc., Bhadson Road, Patiala, Punjab by M/s. Thapar Institute of Engineering and Technology.

- 2. As per the provisions of the Environment Impact Assessment (EIA) Notification, 2006; as amended and notified under the Environment (Protection) Act, 1986 (29 of 1986), the above-mentioned project/activity is covered under category 'B' of item 8(b) 'Townships and Area Development Projects' of the Schedule to the EIA Notification, 2006 and its subsequent amendments, and requires appraisal at State level. However, due to absence of SEIAA/SEAC in Punjab, the proposal required appraisal at Central level by sectoral EAC.
- **3.** Accordingly, the abovementioned proposal for grant of Environmental Clearance, has been examined by the Expert Appraisal Committee (Infra-2) in its 60th meeting held during 27th 28th January, 2021.

- **4.** The details of the project, as per the Application and documents submitted by the project proponent, and also as informed during the above-mentioned meetings of EAC (Infra-2) are as under:
 - i. The project is located at Bhadson Road, Patiala, Punjab with coordinated 30°21'24.78"N Latitude and 76°21'31.05"E Longitude.
 - ii. The project is an expansion.
- iii. Earlier, Environmental Clearance was obtained from SEIAA, Punjab vide Letter No. SEIAA/3777 dated 26.06.2015. Subsequently, the Environmental Clearance for expansion has also been obtained from SEIAA, Punjab vide Letter No. SEIAA/914 dated 25.01.2016. At present, 3,27,516.57sqm of construction has been done out of 3,33,080.53 sqm of built-up area as per earlier granted Environmental Clearance.
- iv. ToR was issued by SEIAA, Punjab vide Letter No. SEIAA/2019/1747 dated 29.07.2020. Point-wise ToR compliance has been submitted along with EIA report.
- v. The total plot area after expansion will remain same i.e., 10,08,194.06sqm (or 249.13 acres). However, built-up area will be increased to 3,27,516.57sqm to 4,45,678.09sqm. The proposed additional buildings are Guest house, sports center, etc. Maximum height of the building is 30m. The details of the proposed buildings are as follows:

Building Name	Floors	G.F	Ist Floor	2 nd Floor	3 rd Floor	4 th Floor	5 th Floor	6 th Floor	7 th Floor	8 th Floor	Total area (sq. ft.)
Venture Lab	G+3	10,600	9,800	9,800	9,800						40,000
Guest House	G+2	12,000	9,000	9,000							30,000
Sport s Center	G+1	30,750	30,750	SWIMM AREA (75,000
New Boys Hostel-M	G+8	38,500	38,500	29,000	29,000	29,000	29,000	29,000	29,000	29,000	2,80,000
New Boys Hostel 1250 PAX	G+8	42,000	42,000	33,000	33,000	33,000	33,000	33,000	33,000	33,000	3,15,000
New SS-7	G+1	13,000	12,000	0	0	0	0	0	0	0	25,000
Research Center	G+6	11,800	9,700	9,700	9,700	9,700	9,700	9,700			70,000
Proposed 2 nd Floor of Laboratory Block II	1	0	0	7,000						/ re/	7,000
Faculty Residences two towers	-0.05	15,400	15,575	15,575	15,575	15,575	15,575	15,57	15,575	15,575	1,40,000

pr

Total									12,12,000 sq. ft. or 1,12,597. 56 sqm.
Multi story Parking	G+2	34,000	33,000	33,000					1,00,000
Lectur e Theatr e	G+4	22,000	19,500	19,500	19,500	19,500			1,00,000
Faculty Offices	G+3	9,000	7,000	7,000	7,000				30,000
FRF & FRG							5	The second	

- vi. During construction phase, total water requirement is expected to be 20 KLD, which shall be met by treated water from already installed STP. During the construction phase, mobile toilets shall be provided. The wastewater generated from the toilets shall be treated in already installed STP.
- vii. During operational phase, total water requirement of the project is expected to be 1,279 KLD and the same will be met by 826 KLD fresh water from 4 existing tube wells and 453 KLD of recycled water from the existing onsite STP. Wastewater generated (945 KLD) will be treated in already installed STP of 2.3 MLD capacity. 926 KLD of treated wastewater will be recycled and re-used (355 KLD for flushing and rest for green area demand and excess to 10 acres of land under Karnal Technology).
- viii. About 5.36 TPD of solid waste will be generated in the project. The biodegradable waste (2.416 TPD) will be processed in installed Mechanical Composter of 7 Ton capacity and the non-biodegradable/domestic hazardous waste generated (2.944 TPD) will be handed over to authorized local vendor.
- ix. The total power requirement during construction phase and operation phase is 150 KW and 8600 KW respectively, which will be met from Punjab State Power Corporation Limited (PSPCL).
- x. Overall, 31 Rain water harvesting (RWH) pits have been proposed. As per previous EC dated 25.01.2016, 20 RWH pits were proposed, out of which, 15 RWH pits have been constructed. Additional 11 no. of RWH pits with dual bore will be provided for proposed buildings for artificial rain water recharge within the project premises.
- xi. Total Parking area proposed is 45,503 sqm out of which, 9,290 sqm. area has been reserved for multi-story parking.
- xii. Proposed energy saving measures would save about 35% of power.
- xiii. Comparative analysis of existing /envision pollution load is as follows:



S. No.	Description	As per EC Accorded dated 25.01.2016	Proposed	Total (After Expansion)
1.	Total Plot Area		249.13 acres	
2.	Built up Area	3,33,080.53 sqm	1,12,597.56sq.m.	4,45,678.09sqm
3.	Estimated Population	15,724 Persons	500 Persons	16,224Persons (Residential: 10,614 Persons Floating: 5,610 Persons)
4.	Domestic Water Demand	1,700 KLD	-519 KLD	1,181 KLD*
5.	Wastewater generated	1300 MLD	-355 KLD	945 KLD
6.	STP capacity	Existing STP of 1 MLD capacity & additional 500 KLD	Upgraded STP of 2.3 MLD capacity	Already installed STP of 2.3 MLD capacity
7.	Solid waste generation	4,900 kg/day	468 kg/day	5,368 kg/day
8.	Rain water recharging Pits	20Recharge Pits (out of these 15 pits have been constructed)	Additional 11 Recharge pits	Total 31 Recharge Pits
9.	Power Load	Existing load 4600 KW	4000 KW	8600 KW
		As per EC accorded, 17 DG sets (7 of 750 KVA capacity, 1 of 500 KVA, 3 of 400 KVA, 2 of 380 KVA, 1 of 320	4 DC Sate of	18 DG sets (9 of 750 capacity, 1 of 500 KVA, 3 of
10.	DG sets	KVA, 1 of 120 KVA, 1 of 180	4 DG Sets of 750 KVA	400 KVA, 2 of

KVA and 1 of capa 115 KVA) were proposed.	380 KVA, 1 of 320 KVA and 2 of 325 KVA capacity)
But, 14 DG sets i.e. 5 of 750 KVA, 1 of 500	
KVA, 3 of 400 KVA, 2 of 380 KVA, 1 of 320 KVA and 2	
of 325 KVA have already been installed.	

Note: Water requirement has been reduced as compared to earlier EC due to usage of water efficient fixtures; (-) indicates a decrease in value.

- xiv. The project is not located in Critically Polluted area.
- xv. Bir Moti Bagh Wildlife Sanctuary at distance of 5.5 km from project location. However, eco-sensitive zone of the Bir Moti Bagh Wildlife Sanctuary is only up to an area of 100 m all around the boundary of the sanctuary comprising an area of approx.111.10 hectares. NBWL clearance is not required as project is outside the eco-sensitive zone of the Bir Moti Bagh Wildlife Sanctuary.
- xvi. Forest Clearance is not required for the project.
- xvii. No court case is pending against the project.
- xviii. Total Green area is 2,36,885 sqm. No tree felling is proposed.
- xix. Expected timeline for completion of the project is December, 2024.
- xx. Investment/Cost of the project is Rs. 1097.4 crores.
- xxi. Employment potential: 100 persons during construction phase and 1020 persons during operation phase.
- xxii. Benefits of the project: Providing better educational facility and other curricular activities to the students and staff.
- **5.** The EAC also noted that the PP has obtained certified compliance report from MOEFCC Northern Regional Office, Chandigarh dated 29.09.2020. As per the report, no major non compliances were observed during the site visit dated 10.09.2020. However, implementation of solar energy with other conservation measures and taking authorization hazardous waste from SPCB are yet to be implemented and as such on this PP has committed to comply.
- **6.** The EAC, based on information and clarifications provided by the project proponent and detailed discussions held on the issues, has recommended granting environment clearance to the project. The aforesaid recommendation of EAC (Infra-2) is subject to certain specific conditions, as stipulated during its 60th meeting held during 27th 28th January, 2021.
- 7. Based on recommendations of EAC (Inra-2), the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the

en

project for 'Expansion of Educational Institute namely "Thapar Institute of Engineering and Technology (Deemed to be University)" from built up area from 3,33,080.53 sq m to 4,45,678.09 sqm at Khasra No. 926(6-5), 939 (7-13), 940 (5-18), etc., Bhadson Road, Patiala, Punjab, by M/s. Thapar Institute of Engineering and Technology', under the provisions of the EIA Notification, 2006 and amendments/circulars issued thereon, and subject to the following specific and standard conditions:

A. Specific Conditions:

- i. As committed, PP shall develop solar power generation capacity of 3MW and implement the condition of existing EC with regard to energy conservation.
- ii. Area for greenery shall be provided as per the details provided in the project document i.e., area under plantation/greenery will be 2,36,885 sqm. As proposed, at least 27,634 trees shall be maintained during the operation phase of the project. The landscape planning should include plantation of native species. A minimum of 01 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. Plantations to be ensured species (cut) to species (planted). The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
- iii. Abstraction of ground water shall be subject to the permission of Central Ground Water Authority (CGWA) and ground water recharge shall conform to CGWA norms or norms prescribed by the local authorities. Fresh water requirement shall not exceed 826 KLD during operational phase
- iv. As proposed, waste water shall be treated in an onsite STP of total 2.3 MLD capacity. Atleast 926 KLD of treated wastewater shall be recycled and re-used (355 KLD for flushing and rest for green area demand and excess to 10 acres of land under Karnal Technology).
- v. The project proponents would commission a third-party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.
- vi. The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed, 31 RWH pits shall be provided for rain water harvesting after filtration as per the CGWB norms.
- vii. The solid waste shall be duly segregated into biodegradable and non-biodegradable components and handled in separate area earmarked for segregation of solid waste, as per SWM Rules, 2016. As committed, biodegradable waste shall be composted by use of Composter. Inert

- waste shall be dumped to authorized site. The recyclable waste shall be sold to resellers.
- viii. The PP shall provide electric charging points in the parking areas for evenicles as committed.
- ix. The Environmental Clearance to the project is primarily under provisions of EIA Notification, 2006. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/Regulations or Statutes as applicable to the project.

I. Statutory compliance:

- i. The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- ii. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc.
- iii. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
- iv. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- v. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
- vi. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
- vii. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- viii. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- ix. The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
- x. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

II. Air quality monitoring and preservation:

i. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.

M

- ii. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM₁₀ and PM_{2.5}) covering upwind and downwind directions during the construction period.
- iv. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
- v. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
- vii. Wet jet shall be provided for grinding and stone cutting.
- viii. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- ix. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.
- x. The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- xi. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- xii. For indoor air quality the ventilation provisions as per National Building Code of India.

III. Water quality monitoring and preservation:

i. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban

m

drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.

ii. Buildings shall be designed to follow the natural topography as much

as possible. Minimum cutting and filling should be done.

iii. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.

iv. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.

v. At least 20% of the open spaces as required by the local building byelaws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.

- vi. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
- vii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
- viii. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.

ix. Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices referred.

- x. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built-up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- xi. All recharge should be limited to shallow aquifer.
- xii. No ground water shall be used during construction phase of the project.
- xiii. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- xiv. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.

en

- xv. No sewage or untreated effluent water would be discharged through storm water drains.
- xvi. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.

xvii. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.

xviii. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

IV. Noise monitoring and prevention:

- i. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
- ii. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- iii. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

V. Energy Conservation measures:

- i. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- ii. Outdoor and common area lighting shall be LED.
- iii. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- iv. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.

les

- v. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

VI. Waste Management:

- i. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- ii. Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- iii. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- iv. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
- v. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- vi. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vii. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- viii. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
- ix. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
- x. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

VII. Green Cover:

207

- i. No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
- ii. Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- iii. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

VIII. Transport

- i. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b. Traffic calming measures.
 - c. Proper design of entry and exit points.
 - d. Parking norms as per local regulation.
- ii. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- iii. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

IX. Human health issues:

i. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or

working in any area with dust pollution shall be provided with dust mask.

ii. For indoor air quality the ventilation provisions as per National Building Code of India.

iii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be

implemented.

iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.

v. Occupational health surveillance of the workers shall be done on a

regular basis.

vi. A First Aid Room shall be provided in the project both during construction and operations of the project.

X. Miscellaneous:

i. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.

ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.

iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.

iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at

environment clearance portal.

v. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.

vi. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the

organization.

- vii. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report
- viii. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- ix. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- x. The project authorities must strictly adhere to the stipulations made by the State Poliution Control Board and the State Government.
- xi. The project proponent shall abide by all the commitments and recommendations made in the ETA/EMP report and also that during their presentation to the Expert Appraisal Committee.
- xii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
- xiii. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xiv. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xv. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xvi. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xvii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xviii. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
 - **8.** The Environmental Clearance is being granted to M/s. Thapar Institute of Engineering and Technology for Expansion of Educational Institute namely

"Thapar Institute of Engineering and Technology (Deemed to be University)" from built up area from 3,33,080.53sqm to 4,45,678.09 sqm at Khasra No. 926(6-5), 939 (7-13), 940 (5-18), etc., Bhadson Road, Patiala, Punjab.

9. This issue with the approval of the Competent Authority.

(Lalit Bokolia) Director

Copy to:

- 1. Secretary, Department of Science & Technology and Environment, Government of Punjab, Punjab Civil Secretariat-2, 9A, Sector-9, Chandigarh-160009
- 2. Regional Officer, Ministry of Environment, Forest and Climate Change, Integrated Regional Office (Northern Zone), Bays No. 24-25, Sector 31 A, Dakshin Marg, Chandigarh 160030

3. Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.

4. Member Secretary, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala- 147001, Punjab

5. Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.

6. Guard File/ MoEF&CC website.

(Lalit Bokolia)

PHOTOGRAPHS

Project Premises









Green Area

















Occupational Health Facility



Karnal Activity



Rainwater Harvesting Pits









EV Charging Station





STP





DG set



Sports Area









PUNJAB WATER REGULATION AND DEVELOPMENT AUTHORITY SCO 149-152, SECTOR 17, CHANDIGARH - 160017

ad interim PERMISSION FOR EXTRACTION OF GROUNDWATER

Name of Unit	Thapar Institute of Engineering	ng & Technology (Deemed	to be U	niversity)	
Activity of Unit:	Institutional				
Address of Unit:	Thapar Institute of Engineering & Technology (Deemed to be University), Bhadson Road, District Patiala				
Assessment Unit (Block):	Patiala Category: Orang				
District:	Patiala				
Correspondence Address:	Thapar Institute of Engineering & Technology (Deemed to be University), Bhadson Road, District Patiala			PIN Code: 147004	
Unit ID	1120300551			22.00.2022	
Permission Number	PWRDA/09/2022/L2/467		Dated:	28.09.2022	
Project Status:	Existing Unit				
Permission Type:	ad-interim Permission			Authority or fo	
Validity Period:	For a period of three months from three years from the date of grant of	the date of publication of the fina this ad interim permission, which	l guidelin ever is ea	es by the Authority, or te	
Ground Water Extra	ction Permitted: 212 m³/day		CONTROL OF THE PARTY OF THE PAR		
	esh Water	Saline	Water		
m³/day	m³/month*	m ³ /day		m ³ /month*	
212	6,360	8		•	

^{*}Note:- Month is taken as 30 days for calculation of charges.

Fees and Charges Paid:

A. Application Fees for Groundwater Extraction:

A. Application Fees for Groundwater Extraction. Volume of Groundwater Extraction Applied For per day (in m3/day)	Fees Deposited (in Rs.)
212	20,000/-
	· · · · · · · · · · · · · · · · · · ·

B. Advance Deposit equivalent to two months of charges for the permitted quantity of groundwater extraction:

Category of Area	Extraction Pe	ermitted: (m³/day)	212	Amount Deposited (Rs.)
5.0%, 5.2% (5.0% 5 .0% 5.0% 5.0%)		2,49,840/-		
Orange	<10 m ³ /day	10-100 m ³ /day	>100 m ³ /day	
	4,800	97,200	1,47,840	

C. Tube-well Registration Fee paid:

No. of existing tube-wells	No. of Proposed tube-wells	No. of total tube-wells	Registration Fee applicable per tube-well	Total Registration Fee Paid (Rs.)
04	Nil	04	10,000/-	40,000/-

D. Total Amount Paid (Rs.):

Advance Deposit	Tube-well Registration Fee	Total(Rs.)
2,49,840/-	40,000/-	3,09,840/-
	Advance Deposit	Advance Deposit Tube-well Registration Fee

NOTE: This permission is granted in terms of the Draft Punjab Guidelines for Groundwater Extraction and Conservation published on November 12, 2020 under section 15 of the Punjab Water Resources (Regulation and Management) Act 2020 and is subject to the conditions given overleaf.

Dated: 28th Sep, 2022 Place: CHANDIGARH Signature

Maninder Singh, A.O.L-2

Executive Engineer

Punjab Water Regulation and Development Authority Chandigarh.

ad interim PERMISSION CONDITIONS

- The permission is valid for a period of three months from the date of publication of the final guidelines by the Authority, or for three years from the date of grant of this ad interim permission, whichever is earlier. The unit will apply again for Permission within one month after the publication of the final Guidelines.
- 2) Since, this Permission has been issued on the basis of self-assessment by the applicant and without any site inspection or verification of documents submitted by the applicant, hence the Authority may inspect the unit and documents at any time. In case any material difference is found in the information submitted and the site conditions or documents, the Authority may suspend the permission granted immediately and may revoke or modify the permission after giving a notice to the Unit.
- 3) The unit shall comply with the provisions of the Punjab Water Resources (Management and Regulation) Act, 2020, and the Regulations and Directions issued there under.
- 4) A Unit operational prior to 12/11/2020 shall be liable to pay groundwater extraction charges w.e.f. 12th Nov, 2020. A unit which is yet to begin operations shall be liable to pay the charges from the date of commencement of extraction of groundwater.
- 5) The unit shall install a water meter meeting with the specification approved by the Authority at each of its extraction structures within sixty days of issue of this permission letter. (Refer Para 7.1 of the Draft Guidelines)
- 6) Till the installation of water meter the Unit shall pay the full amount for the entire volume of groundwater permitted.
- 7) The Unit shall self-record the water meter readings in the format set by the Authority on the first working day of every month and submit the same and pay the applicable charges to PWRDA by 10th of every month.
- 8) Units permitted to extract 50m³/day or more groundwater shall communicate water level data to PWRDA in the first week of every month. (Refer para 7.2 of the Draft Guidelines).
- 9) This Permission does not absolve the unit of its obligations to obtain other required statutory and administrative clearances from appropriate authorities.
- 10) The issue of this Permission does not imply that other statutory or administrative clearances shall necessarily be granted to the unit by the concerned authorities.
- 11) This Permission is being issued without any prejudice to the directions of any court of law in cases related to groundwater or any other related matters.
- 12) Water conservation credit claims (if any) will be examined and verified separately.
- 13) In view of the Covid-19 epidemic, the Groundwater Charges in the Draft Guidelines will be reduced by 20% till July 31st, 2021.
- 14) Since, the unit has not paid the GST. Hence, it will be bound to deposit the same within 7 days as and when required by the Authority.

Y-----







Dashboard

Steps To Apply

Groundwater Extraction ^

Register New Unit

Unit List

Application List


Transfer Unit

Water Tanker

Drilling Rig

Payment History

Credit History





(Formerly known as Eco Laboratories & Consultants Pvt. Ltd.)

TEST REPORT





ULR No. : TC118	1824000002678F	Test Report No.:	NN0M230324NA041
Type of Sample : Noise-	Ambient Air		A In the second
Customer Name	Expansion of Educational Institute Namely	Work Order No. & Date	Work Order DT:28.12.2023
Address	Thapar Institute of Engineering & Technology (Deemed to be University) Bhadson Road Patiala Puniah Customer reference No. (If any)	NA	
4.5	Punjab	Date of Sampling	22/03/2024
Sampling Protocol	IS 9989, EL-MSP-7.3	Date of Sample Receipt	23/03/2024
Sample Collection Mode	Mr. Deepak (Eco Rep.)	Period of Analysis	23/03/2024 To 23/03/2024
Testing Location	On Site & Permanent Facility	Date of Reporting	30/03/2024
Sampling Location	Project Site^		IIVI -
Standard/Specification	Noise- Ambient Air: EPA 1986 Schedule III		
Environment conditions			

RESULTS

I. Chemical Testing

1. Atmospheric Pollution (Ambient Noise Levels)

S.No.	Location^	Units	Result (Day)	Result (Night)	Detection Limit	Test Method
1	Corner No.1	dB(A)	48.3	38.3	30	EL/SOP/AN/01
2	Corner No.2	dB(A)	47.5	37.8	30	EL/SOP/AN/01
3	Corner No.3	dB(A)	48.0	38.2	30	EL/SOP/AN/01
4	Corner No.4	dB(A)	48.6	38.2	30	EL/SOP/AN/01
5	Centre	dB(A)	47.1	37.2	30	EL/SOP/AN/01

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits	in dB(A) Leq*
		Day Time	Night Time
А	Industrial area	75	70
В	Commercial area	65	55
С	Residential area	55	45
D	Silence Zone	50	40

Day time shall mean from 6.00 a.m. to 10.00 p.m., Night time shall mean from 10.00 p.m. to 6.00 a.m., Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority, Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority. *dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale 'A' which is relatable to human hearing

Remarks:

OTHER INFORMATION

Abbreviation: Terms & Conditions: ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable Please refer terms and conditions on backside of Test Report (Page-1)

End of Report

Noise- EL-FMT-7.8.2-AN

Page No. 1/1













(Formerly known as Eco Laboratories & Consultants Pvt. Ltd.)

TEST REPORT





ULR No. : TC118	NS0M220324NA038			
Type of Sample : Soil				
Customer Name	Expansion of Educational Institute Namely	Work Order No. & Date	Work Order Dt: 28.12.2023	
Address	Thapar Institute of Engineering & Technology (Deemed to be University) Bhadson Road Patiala	Customer reference No. (If any)	NA	
	Punjab	Date of Sampling	22/03/2024	
Sampling Protocol USEPA/600/R-92/128, EL-MSP-7.3		Date of Sample Receipt	22/03/2024	
Sample Collection Mode Mr. Deepak (Eco Rep.)		Period of Analysis	22/03/2024 To 30/03/2024	
Testing Location	Permanent Facility	Date of Reporting	30/03/2024	
Sampling Location	Park Near Hostel-K		IVI	
Sample Description	Brown coloured soil.			
Standard/Specification	Soil Manual- Dept. of Agriculture (GoI); 2011			
Packing, Markings, Seal & Qty.	5 kg Poly Bag Marked M-D-22-03			

RESULTS

I. Chemical Testing

1. Pollution & Environment (Soil)

S.No.	Test Parameter	Unit	Result	Detection Limit	Test Method
1	Conductivity	mS/cm	0.297	0.01	IS 14767
2	Cation Exchange Capacity	meq/100gm	0.51	0.05	EL/SOP/SS/30
3	Organic Matter	%	1.25	0.1	IS 2720 (Part 22) Sec 1
4	рН	-	7.84	0.5	IS 2720 (Part 26) CI 2
5	Available Nitrogen as N	%	7.3	1	EL/SOP/SS/16
6	Available Phosphorous as P	mg/kg	162	1	EL/SOP/SS/14
7	Available Potassium as K	mg/kg	82	10	EL/SOP/SS/10
8	Available Sodium as Na	mg/kg	105	1	EL/SOP/SS/10
9	Sodium Absorpton Ratio	meq/kg	1.02	0.05	EL/SOP/SS/31
10	Texture		Sandy Loam	* 3	IS 2720 (Part 4) Cl 2.4
11	Sand	%	67		IS 2720 (Part 4) CI 2.4
12	Clay	%	18	- 1	IS 2720 (Part 4) CI 2.4
13	Silt	%	15	(#)	IS 2720 (Part 4) CI 2.4
14	Moisture Content	%	9.2	0.1	IS 2720 (Part 2), Sec-1
15	Bulk Density	gm/cc	1.60	1	IS 2720 (Part 7)

Remarks:

Abbreviation:

NA

OTHER INFORMATION

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions:

Please refer terms and conditions on backside of Test Report (Page-1)

End of Report

Authorized Signatory-Chemical

Page No. 1/1





E-207, Industrial Area, Phase VIII-B (Sector-74), Mohali (Punjab) 160071





(Formerly known as Eco Laboratories & Consultants Pvt. Ltd.)

TEST REPORT

ULR No. : NA	NS0M220324NA038/A						
Type of Sample: Soil		1					
Customer Name	Expansion of Educational Institute Namely	Work Order No. & Date	Work Order Dt: 28.12.2023				
Address	Thapar Institute of Engineering & Technology (Deemed to be University) Bhadson Road Patiala	Customer reference No. (If any)	NA				
100	Punjab	Date of Sampling	22/03/2024				
Sampling Protocol	ampling Protocol USEPA/600/R-92/128, EL-MSP-7.3		22/03/2024				
Sample Collection Mode	Mr. Deepak (Eco Rep.)	Period of Analysis	22/03/2024 To 30/03/2024				
Testing Location	Location Permanent Facility Date of Reporting						
Sampling Location	Park Near Hostel-K		TIVI				
Sample Description	Brown coloured soil.						
Standard/Specification	Soil Manual- Dept. of Agriculture (GoI); 2011						
Packing, Markings, Seal & Qty.	5 kg Poly Bag Marked M-D-22-03						

RESULTS

I. Chemical Testing

1. Pollution & Environment (Soil)

S.No.	Test Parameter	Unit	Result	Detection Limit	Test Method
1	Water Holding Capacty	%	29		EL/SOP/SS/35
2	Porosity	%	42	-	EL/SOP/SS/36
3	Permeability at 27°c	cm/hr	1.41	Min. 10^-7	EL/SOP/SS/37

Remarks:

This test report is the part of Test Report No.NSOM220324NA038.

OTHER INFORMATION

Abbreviation:

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable Please refer terms and conditions on backside of Test Report (Page-1)

Terms & Conditions:

End of Report

Page No. 1/1



(Formerly known as Eco Laboratories & Consultants Pvt. Ltd.)

TEST REPORT





ULR No. : TC118	NWAM220324NA036					
Type of Sample: Water-	Ground Water					
Customer Name	Expansion of Educational Institute Namely	Work Order No. & Date	Work Order Dt: 28.12.2023			
Address	Thapar Institute of Engineering & Technology (Deemed to be University) Bhadson Road Patiala	Customer reference No. (If any)	NA			
	Punjab	Date of Sampling	22/03/2024			
Sampling Protocol IS 17614 (Part 1), EL-MSP-7.3		Date of Sample Receipt	22/03/2024			
Sample Collection Mode	imple Collection Mode Mr. Deepak (Eco Rep.)		22/03/2024 To 30/03/2024			
Testing Location	Permanent Facility	Date of Reporting	30/03/2024			
Sampling Location	Tubewell No.2 (Shallow depth: 370feet)		1 IVI			
Sample Description	Clear, colourless liquid.	5 En				
Standard/Specification	NA					
Packing, Markings, Seal & Qty.	2 litre Plastic & 500ml Glass Bottle Marked D/22/01					

RESULTS

I. Chemical Testing

1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Detection Limit	Test Method
1	Colour	CU	BDL	1	IS 3025 (Part 4) Cl 2.0
2	Odour		Agreeable	2	IS 3025 (Part 5)
3	pH @ 25 °C	Ψ	7.25	0.5	IS 3025 (Part 11)
4	Turbidity	NTU	BDL	0.1	IS 3025 (Part 10)
5	Total Dissolved Solids	mg/l	470	5	IS 3025 (Part 16)
6	Total Suspended Solids	mg/l	BDL	5	IS 3025 (Part 17)
7	Calcium as Ca	mg/l	70	1	IS 3025 (Part 40)
8	Chloride as Cl	mg/l	122	1	IS 3025 (Part 32)
9	Copper as Cu	mg/l	BDL	0.001	USEPA 3015A
10	Fluoride as F	mg/l	0.65	0.1	IS 3025 (Part 60)
11	Iron as Fe	mg/l	0.09	0.001	USEPA 3015A
12	Magnesium as Mg	mg/l	24	1	IS 3025 (Part 46)
13	Nitrate as NO3	mg/l	9.9	1	IS 3025 (Part 34) -Cl 3.3 Chromotropic Acid Method
14	Sulphate as SO4	mg/l	58	1	IS 3025 (Part 24) CI 4.0 Turbidity Method
15	Total Alkalinity as CaCO3	mg/l	285	1	IS 3025 (Part 23)
16	Total Hardness as CaCO3	mg/l	275	1	IS 3025 (Part 21)
17	Zinc as Zn	mg/l	BDL	0.001	USEPA 3015A
18	Cadmium as Cd	mg/l	BDL	0.001	USEPA 3015A
19	Cyanide as CN	mg/l	BDL	0.02	IS 3025 (Part 27)
20	Lead as Pb	mg/l	BDL	0.001	USEPA 3015A

Authorized Signatory-Biological

Authorized Signatory-Chemical

Water- EL-FMT-7.8.2-W













ULR	No.: TC1181824000	0002648F	Test Report No.: NWAM220324NA036		
Туре	of Sample: Water- Ground	l Water			rg/ E
21	Chromium as Cr	mg/l	BDL	0.001	USEPA 3015A

II. Biological Testing

2. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Detection Limit	Test Method
1	Total Coliform	Present or Absent/100 ml	Absent	-	IS 15185
2	E. coli	Present or Absent/100 ml	Absent		IS 15185

Remarks:

NA

OTHER INFORMATION

Abbreviation:

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions:

Please refer terms and conditions on backside of Test Report (Page-1)

End of Report

Lata Thakur Authorized Signatory-Biological

Authorized Signatory-Chemical

Water- EL-FMT-7.8.2-W



Eco Paryavaran Laboratories & Consultants Pvt. Ltd.

(Formerly known as Eco Laboratories & Consultants Pvt. Ltd.)

TEST REPORT





ULR No. : TC118	1824000002649F	Test Report No.:	NWAM220324NA037			
Type of Sample : Water	- Ground Water					
Customer Name	Expansion of Educational Institute Namely	Work Order No. & Date	Work Order Dt: 28.12.2023			
Address	Thapar Institute of Engineering & Technology (Deemed to be University) Bhadson Road Patiala	Customer reference No. (If any)	NA.			
	Punjab	Date of Sampling	22/03/2024			
Sampling Protocol	IS 17614 (Part 1), EL-MSP-7.3	Date of Sample Receipt	22/03/2024			
Sample Collection Mode Mr. Deepak (Eco Rep.)		Period of Analysis	22/03/2024 To 30/03/2024			
Testing Location	Permanent Facility Date of Reporting 30/03/2024					
Sampling Location	Tubewell No.3 (Deep depth: 500feet)					
Sample Description	Clear, colourless liquid.					
Standard/Specification	NA .					
Packing, Markings, Seal & Qty.	2 litre Plastic & 500ml Glass Bottle Marked D/22/02					

RESULTS

I. Chemical Testing

1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Detection Limit	Test Method	
1	Colour	CU	BDL	1	IS 3025 (Part 4) Cl 2.0	
2	Odour		Agreeable	療法	IS 3025 (Part 5)	
3	pH @ 25 °C	-	7.21	0.5	IS 3025 (Part 11)	
4	Turbidity	NTU	BDL	0.1	IS 3025 (Part 10)	
5	Total Dissolved Solids	mg/l	390	5	IS 3025 (Part 16)	
6	Total Suspended Solids	mg/l	BDL	5	IS 3025 (Part 17)	
7	Calcium as Ca	mg/l	66	1	IS 3025 (Part 40)	
8	Chloride as Cl	mg/l	83	1	IS 3025 (Part 32)	
9	Copper as Cu	mg/l	BDL	0.001	USEPA 3015A	
10	Fluoride as F	mg/l	0.50	0.1	IS 3025 (Part 60)	
11	Iron as Fe	mg/l	0.06	0.001	USEPA 3015A	
12	Magnesium as Mg	mg/l	19	1	IS 3025 (Part 46)	
13	Nitrate as NO3	mg/l	7.2	1	IS 3025 (Part 34) -Cl 3.3 Chromotropic Acid Method	
14	Sulphate as SO4	mg/l	49	1	IS 3025 (Part 24) Cl 4.0 Turbidity Method	
15	Total Alkalinity as CaCO3	mg/l	240	1	IS 3025 (Part 23)	
16	Total Hardness as CaCO3	mg/l	245	1	IS 3025 (Part 21)	
17	Zinc as Zn	mg/l	BDL	0.001	USEPA 3015A	
18	Cadmium as Cd	mg/l	BDL	0.001	USEPA 3015A	
19	Cyanide as CN	mg/l	BDL	0.02	IS 3025 (Part 27)	
20	Lead as Pb	mg/l	BDL	0.001	USEPA 3015A	

Lata Thakur Authorized Signatory-Biological

Jmesh Kumar Authorized Signatory Chemical















 ULR No.:
 TC1181824000002649F
 Test Report No.:
 NWAM220324NA037

 Type of Sample:
 Water- Ground Water

 21
 Chromium as Cr
 mg/l
 BDL
 0.001
 USEPA 3015A

II. Biological Testing

2. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Detection Limit	Test Method
1	Total Coliform	Present or Absent/100 ml	Absent	-	IS 15185
2	E. coli	Present or Absent/100 ml	Absent	, #	IS 15185

Remarks:

NA

OTHER INFORMATION

Abbreviation:

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions:

Please refer terms and conditions on backside of Test Report (Page-1)

End of Report

Lata Thakur Authorized Signatory-Biological Phase VIII-B (sector-74) (sect

Water- EL-FMT-7.8.2-W



Eco Paryavaran Laboratories & Consultants Pvt. Ltd.

(Formerly known as Eco Laboratories & Consultants Pvt. Ltd.)

TEST REPORT





ULR No. : T Type of Sample : A	C1181824000002664F mbient Air	Test Report No.: NAIM230324NA030 Date of Reporting: 30/03/2024		
Customer	Expansion of Educational Institute Namely Thapar Institute of Engineering & Technology (Deemed to be University) Bhadson Road Patiala	Work Order No. & Date	Work Order Dt: 28.12.2023	
	Punjab	Customer reference No. (If any)	NA	
Sampling Protocol	IS 5182, EL-MSP-7.3	Mode of Collection of Sample	Mr. Deepak (Eco Rep.)	
Date of Sampling	22/03/2024 To 23/03/2024	Date of Receipt of Sample	23/03/2024	
Sampling Location	From Cricket Ground	Period of Analysis	23/03/2024 To 28/03/2024	
Standard/ Specification	National Ambient Air Quality: G.S.R.No.B-29016/20/19/PCI-L dated 18 Nov, 2009	Environmental Conditions	Clear sky	
Testing Location	n On Site & Permanent Facility			

RESULTS

I. Chemical Testing

1. Atmospheric Pollution (Ambient Air)

S.No.	Test Parameter	Unit	Result	Standard	Detection Limit	Test Method
1	Respirable Suspended Particulate Matter as PM10	μg/m3	77	100	5	IS 5182 (Part 23)
2	Particulate Matter as PM2.5	μg/m3	38	60	5	IS 5182 (Part 24)
3	Sulphur Dioxide as SO2	μg/m3	8	80	5	IS 5182 (Part 2)
4	Oxides of Nitrogen	μg/m3	22	80	7	IS 5182 (Part 6)
5	Ammonia as NH3	μg/m3	19	400	- 5	IS 5182 (Part 25)
6	Ozone as O3	μg/m3	30	180	5	IS 5182 (Part 9)
7	Carbon Monoxide as CO	mg/m3	0.56	4	0.1	IS 5182 (Part 10) NDIR method
8	Lead as Pb	μg/m3	BDL	1.0	0.04	USEPA Method IO-3.4
9	Arsenic as As	ng/m3	BDL	6	4	USEPA Method IO-3.4
10	Nickel as Ni	ng/m3	BDL	20	4	USEPA Method IO-3.4
11	Benzo Pyrene (BaP), Particulate Phase Only	ng/m3	BDL	1	0.3	IS 5182 (Part 12)

Remarks:

OTHER INFORMATION

Abbreviation:

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions:

Please refer terms and conditions on backside of Test Report (Page-1)

End of Report


Page No. 1/1

E-207, Industrial Area, Phase VIII-B (Sector-74), Mohali (Punjab) 160071

Authorized Signatory-Chemical









Eco Paryavaran Laboratories & Consultants Pvt. Ltd.

(Formerly known as Eco Laboratories & Consultants Pvt. Ltd.)

TEST REPORT

ULR No. : NA Type of Sample : Ambient Air		Test Report No.: NAIM230324NA030 Date of Reporting: 30/03/2024		
Customer	Expansion of Educational Institute Namely Thapar Institute of Engineering & Technology (Deemed to be University) Bhadson Road Patiala	Work Order No. & Date	Work Order Dt: 28.12.2023	
	Punjab	Customer reference No. (If any)	NA .	
Sampling Protocol	IS 5182, EL-MSP-7.3	Mode of Collection of Sample	Mr. Deepak (Eco Rep.)	
Date of Sampling	22/03/2024 To 23/03/2024	Date of Receipt of Sample	23/03/2024	
Sampling Location	From Cricket Ground	Period of Analysis	23/03/2024 To 28/03/2024	
Standard/ Specification	National Ambient Air Quality: G.S.R.No.B-29016/20/19/PCI-L dated 18 Nov, 2009	Environmental Conditions	Clear sky	
Testing Location	On Site & Permanent Facility			

RESULTS

I. Chemical Testing

1. Atmospheric Pollution (Ambient Air)

S.No.	Test Parameter	Unit	Result	Standard	Detection Limit	Test Method
1	Benzene	μg/m3	BDL	5	5	IS 5182 (Part 11)

Remarks:

This test report is the part of Test Report No.NAIM230324NA030.

OTHER INFORMATION

Abbreviation:

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions:

Please refer terms and conditions on backside of Test Report (Page-1)

End of Report

ECO BHAWAN



PUNJAB POLLUTION CONTROL BOARD

Zonal Office-1, Vatavaran Bhawan, Nabha Road, Patiala - 147001

Website:- www.ppcb.gov.in

Office Dispatch No:	Registered/Speed Post	Date:	
Industry Registration ID:	R14PTA803193	Application No:	21451700

To,

Dr Gurbinder Singh

Thapar Institute Of Engineering & Technology Bhadson Road Patiala

Patiala, Punjab-147004

Subject: Extension of 'Consent to Establish' (NOC) no. CTE/Exp/PTA/2022/17625240 dated 16/05/2022 granted under

the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of

Pollution) Act, 1981

1. Particulars of Consent to Establish (NOC) for Extension granted to the Industry

Certificate No.	CTE/Ext/PTA/2023/21451700
Date of issue :	17/05/2023
Date of expiry :	31/03/2024
Certificate Type :	Extension
Previous CTE/CTO No. & Validity :	CTE/Exp/PTA/2022/17625240 From:16/05/2022 To:31/03/2023

2. Particulars of the Industry

Name & Designation of the Applicant	Dr. Gurbinder Singh, (Registrar)
Address of Industrial premises	Thapar Institute Of Engineering & Technology, Bhadson Road, Patiala, Patiala,Patiala-147004
Category of Industry	Red
Type of Industry	1063-Building and construction projects more than 20,000 sq. m built up area and having waste water generation 100 KLD and above
Scale of the Industry	Large
Office District	Patiala

This is with reference to the request made by the promoter company for extension of 'Consent to Establish' (NOC) granted by the Board under the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981.

The validity of 'Consent to Establish' (NOC) granted to the promoter company vide no. CTE/Exp/PTA/2022/17625240 dated 16/05/2022, (Expiry on 31.03.2023), for educational Institute in an area of 249.13 acres and having total Built up area of 445678.09 sq.m., is hereby, further extended upto 31.03.2024 same conditions as mentioned therein and following additional conditions:

- 1. The institute shall comply with conditions imposed in the Environmental Clearance granted by MoEF&CC vide its letter no. F. No. IA3- 10/7/2021- IA.III dated 12/3/2021.
- 2. The institute shall comply with the provisions of MSW Rules, 2016.
- 3. The institute shall comply with the provisions of E-waste Management Rules, 2016.
- 4. The institute shall advised to obtain necessary clearance for abstraction of ground water from Punjab Water Regulation and Development Authority (PWRDA).
- 5. The institute shall utilize maximum quantity of treated wastewater for flushing purpose in the newly constructed buildings and report the compliance of the same to the Board.
- 6. The institute shall ensure that the plantation area should always be free from the wild growth and maintain the ridges & furrows of the plantation area in good condition at all the times, so as to utilize the treated wastewater in a scientific manner.
- 7. The institute shall provide permanent water sprinkler near the under-construction buildings for suppressing the dust.
- 8. The institute shall provide arrangements for controlling the fugitive emissions from its labs.
- 9. The institute shall provide solar power plant for its expansion project as per condition imposed in the environmental clearance.
- 10. The institute shall install in house mechanism for handling of municipal solid waste i.e. by installing composter/ composting pits etc.
- 11. The institute shall not emit black smoke from its stacks under any circumstances and will ensure that there is no odour in the surrounding area.
- 12. The institute shall not exceed the generation of effluent of after the completion of the ongoing construction as mentioned in the environmental clearance letter.
- 13. The institute shall obtain varied consent to operate of the Board as required under the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 after completion of the work of construction.
- 14. The institute shall obtain authorization as required under the Hazardous & other Waste (Management & Transboundary Movement) Rules, 2016 from the Board within one month.
- 15. The institute shall not throw burn or burry any solid wastes in open outside premises or in drain / water bodies.
- 16. The institute shall promote use of alternatives of single use plastics (SUP) and awareness to discourage use of plastic, through their Corporate Environment Responsibility (CER) activities. (See attached banner)
- 17. The institute shall ensure that there are no usages of single use plastic- thermocol disposable items such as water bottles / water pouches/water cups, plates, forks, spoons, straw etc. and single use decorating material made of plastic-thermocal or any other non-biodegradable material in the premises.

All other contents shall remain unchanged. This letter shall remain appended with the original 'Consent to Establish' (NOC) issued vide no. CTE/Exp/PTA/2022/17625240 dated 16/05/2022 issued to the institute under the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981

A 196 1

17/05/2023

(Amit Kumar) Environmental Engineer


For & on behalf

of

(Punjab Pollution Control Board)

Endst. No.: Dated:

A copy of the above is forwarded to the following for information and necessary action please: The Environmental Engineer, Regional Office, Punjab Pollution Control Board, Patiala





PUNJAB POLLUTION CONTROL BOARD

Zonal Office-1, Vatavaran Bhawan, Nabha Road, Patiala - 147001

Website:- www.ppcb.gov.in

 Office Dispatch No:
 Registered/Speed Post
 Date:

 Industry Registration ID:
 R14PTA803193
 Application No: 21449118

To,

Dr. Gurbinder Singh

Thapar Institute Of Engineering & Technology Bhadson Road Patiala

Patiala, Punjab-147004

Subject: Grant Varied 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981 for discharge

of emissions arising out of premises.

With reference to your application for obtaining Varied 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are hereby, authorized to operate an industrial unit for discharge of the emission(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

1. Particulars of Consent to Operate under Air Act, 1981 granted to the industry

Consent to Operate Certificate No.	CTOA/Varied/PTA/2023/21449118
Date of issue :	17/05/2023
Date of expiry :	31/03/2024
Certificate Type :	Varied
Previous CTO No. & Validity :	CTOA/Varied/PTA/2022/19939633 From:14/11/2022 To:31/03/2023

2. Particulars of the Industry

Name & Designation of the Applicant	Dr. Gurbinder Singh, (Registrar)
Address of Industrial premises	Thapar Institute Of Engineering & Technology, Bhadson Road, Patiala, Patiala,Patiala-147004
Capital Investment of the Industry	103682.0 lakhs
Category of Industry	Red
Type of Industry	1063-Building and construction projects more than 20,000 sq. m built up area and having waste water generation 100 KLD and above
Scale of the Industry	Large
Office District	Patiala
Consent Fee Details	Rs. 720000/- vide UTR no. ICICR52023032200455352 dated 22.03.2023
Raw Materials (Name with Quantity per day)	Educational institute and having total Built up area of 3,41,407.54 sqm (84.36 acre) out of total area of 1008194 sqm (249.13 acres)

Products (Name with Quantity per day)	Educational institute and having total Built up area of 3,41,407.54 sqm (84.36 acre) out of total area of 1008194 sqm (249.13 acres)
By-products, if any, (Name with Quantity per day)	Nil
Details of the machinery and process	As per application form no. 21449118
Quantity of fuel required (in TPD) and capacity of boilers/ Furnace/Thermo heater etc.	3 no. DG Sets of capacity 400 KVA each, 2 no. D.G. sets of capacity 380 KVA each, 2 no. D.G. sets of capacity 500 KVA each, 7 no. D.G. sets of capacity 750 KVA each, 2 no. D.G. sets of capacity 320 KVA each, 1 no. D.G. set of capacity 160 KVA: HSD as per requirement.
Type of Air Pollution Control Devices to be installed	3 no. DG Sets of capacity 400 KVA each, 2 no. D.G. sets of capacity 380 KVA each, 2 no. D.G. sets of capacity 500 KVA each, 7 no. D.G. sets of capacity 750 KVA each, 2 no. D.G. sets of capacity 320 KVA each, 1 no. D.G. set of capacity 160 KVA: Canopies.
Stack height provided with each boiler/thermo heater/Furnace etc.	Silent D.G. sets of capacity 3 no. DG Sets of capacity 400 KVA each, 2 no. D.G. sets of capacity 380 KVA each, 2 no. D.G. sets of capacity 500 KVA each, 7 no. D.G. sets of capacity 750 KVA each, 2 no. D.G. sets of capacity 320 KVA each, 1 no. D.G. set of capacity 160 KVA: Adequate stack of height with canopy and stack of adequate heights.
Sources of emissions and type of pollutants	3 no. DG Sets of capacity 400 KVA each, 2 no. D.G. sets of capacity 380 KVA each, 2 no. D.G. sets of capacity 500 KVA each, 7 no. D.G. sets of capacity 750 KVA each, 2 no. D.G. sets of capacity 320 KVA each, 1 no. D.G. set of capacity 160 KVA: SPM/SOx/NOx
Standards to be acheived under Air(Prevention & Control of Pollution) Act, 1981	As per emission standards prescribed by the Board/ MoEF&CC from time to time.



(Amit Kumar) Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

Endst. No.: Dated:

A copy of the above is forwarded to the following for information and necessary action please: The Environmental Engineer, Regional Office, Punjab Pollution Control Board, Patiala



17/05/2023

(Amit Kumar) Environmental Engineer

For & on behalf of

(Punjab Pollution Control Board)



TERMS AND CONDITIONS

A. GENERAL CONDITIONS

- 1. This consent is not valid for getting power load from the Punjab State Power Corporation Ltd. or for getting loan from the financial institutions.
- 2. The industry shall apply for renewal /extension of consent at least two months before expiry of the consent.
- 3. The industry shall not violate any of the norms prescribed under the Air (Prevention & Control of Pollution) Act, 1981, failing which, the consent shall be cancelled / revoked.
- 4. The achievement of adequacy and efficiency of the air pollution control devices installed shall be the entire responsibility of the industry
- 5. The authorized fuel being used shall not be changed without the prior written permission of the Board.
- 6. The industry shall not discharge any fugitive emissions. All gases shall be emitted through a stack of suitable height, as per the norms fixed by the Board from time to time.
- 7. The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets.

Specifications of the port-holes shall be as under:-

i) The sampling ports shall be provided at least 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (De) shall be calculated from the following equation to determine upstream, downstream distance:-

$$De = 2 LW / (L+W)$$

Where L= length in mts. W= Width in mts.

- ii) The sampling port shall be 7 to 10 cm in diameter
- 8. The industry shall put display Board indicating environmental data in the prescribed format at the main entrance gate.
- 9. The industry shall discharge all gases through a stack of minimum height as specified in the following standards laid down by the Board.

(i) Stack height for boiler plants

S.NO.	Boiler with Steam Generating Capacity	Stack heights
1.	Less than 2 ton/hr.	9 meters or 2.5 times the height of neighboring building which ever is more
2.	More than 2 ton/hr. to 5 ton/hr.	12 meters
3.	More than 5 ton/hr. to 10 ton/hr	15 meters
4.	More than 10 ton/hr. to 15 ton/hr	18 meters
5.	More than 15 ton/hr. to 20 ton/hr	21 meters
6.	More than 20 ton/hr. to 25 ton/hr.	24 meters
7.	More than 25 ton/hr. to 30 ton/hr.	27 meters
8.	More than 30 ton/hr.	30 meters or using the formula H = 14 Qg0.3or H = 74 (Qp)0.24 Where Qg = Quantity of SO2 in Kg/hr. Qp = Quantity of particulate matter in Ton/day.

Note: Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula whichever is more.

- (ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation.
- (iii) Stack height for diesel generating sets:

Capacity of diesel generating set	Heig	tht of the Stack
0-50 KVA	Height of the building	+ 1.5 mt
50-100 KVA	-do-	+ 2.0 mt.
100-150 KVA	-do-	+ 2.5 mt.
150-200 KVA	-do-	+ 3.0 mt.
200-250 KVA	-do-	+ 3.5 mt.
250-300 KVA	-do-	+ 3.5 mt.

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

H = h + 0.2 (KVA)0.5

where h = height of the building in meters where the generator set is installed.

- 10. The pollution control devices shall be interlocked with the manufacturing process of the industry to ensure its regular operation.
- 11. The existing pollution control equipment shall be altered or replaced in accordance with the directions of the Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or reerected except with the prior approval of the Board.
- 12. The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision of notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF under Environment (Protection) Act, 1986.
- 13. The Govt. of Punjab, Department of Science, Technology & Environment vide its notification no.4/46/92-3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except the following:-

�In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall make the necessary arrangement to comply with the above notification. �

- 14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year
- 15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification/ modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
- 16. a) The industry shall ensure that at any time the emission do not exceed the prescribed emissions standards laid down by the Board from time to time for such type of industry /emissions.
 - b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.

Steam Generating capacity A.	Required particulate matter B.	
Area upto 5 Km from Other than the periphery of I and Class-II town	Other than 'A' class	
Less than 2 ton/hr.	800 mg/NM3	1200 mg/NM3
2 ton to 10 ton/hr.	500 mg/NM3	1000 mg/NM3
Above 10 ton to 15 ton/hr	350 mg/NM3	500 mg/NM3
Above 15 ton/hr	150 mg/NM3	150 mg/NM3

All emissions normalized to 12% carbon dioxide.

- 17. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008, without any adverse effect on the environment, in any manner.
- 18. The air pollution control equipments shall be kept at all time in good running condition and;

Page5

- (i) All failures of control equipments.
- (ii) The emissions of any air pollutant into the atmosphere in excess of the standards lay down by the Board occurring or being apprehended to occur due to accident or other unforeseen act or event. 'Shall be intimated through fax to the concerned Regional Office as well as to the Director of Factories, Punjab, Chandigarh as required under rule 10 of the Punjab State Board for the Prevention and Control of Air Pollution Rules, 1983'.
- 19. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
- 20. The industry shall submit a site emergency plan approved by the Chief Inspector of Factories, Punjab as applicable.
- 21. The industry shall comply with the conditions imposed by the SEIAA/MOEF in the Environmental Clearance granted to it as required under EIA notification dated 14/9/06, if applicable.
- 22. The industry shall make necessary arrangements for the monitoring of stack emissions and shall get its emissions analyzed from lab approved / authorized by the Board:-
 - (i) Once in Year for Small Scale Industries.
 - (ii) Twice/thrice/four time in a Year for Large/Medium Scale Industries.
- 23. The industry shall maintain the following record to the satisfaction of the Board:
 - (i) Log books for running of air pollution control devices or pumps/motors used for it.
 - (ii) Register showing the result of various tests conducted by the industry for monitoring of stack emissions and ambient air.
 - (iii) Register showing the stock of absorbents and other chemicals to be used for scrubbers.
- 24. The industry will install the separate energy meter for running pollution control devices and shall maintain record with respect to operation of air pollution control device so as to the satisfy the Board regarding the regular operation of air pollution control device and monthly reading / record may be sent to the Board by the fifth of the following month.
- 25. The industry shall provide online monitoring system as applicable, for in stack emission and shall maintain the record of the same for inspection of the Board Officers.
- 26. The Board reserves the right to revoke the consent granted to the industry at any time, in case the industry is found violating the provisions of Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time.
- 27. The industry shall comply with any other conditions laid down or directions issued in due course by the Board under the provisions of the Air (Prevention & Control of Pollution) Act, 1981.
- 28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected to under this or any other Act.
- 29. Any amendments/revisions made by the Board/CPCB/MOEF in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.
- 30. The industry shall dispose off its solid waste generated by the burning of fuel in an Environmentally Sound Manner within the premises/outside as approved by the Board, to avoid public nuisance and air pollution problem in the area.
- 31. The industry shall ensure that no air pollution problem or public nuisance is created in the area due to the discharge of emissions from the industry.
- 32. The industry shall provide adequate arrangement for fighting the accidental leakage/discharge of any air pollutant/gas/ liquids from the vessels, mechanical equipment's etc, which are likely to cause environmental pollution.
- 33. The industry shall not change or alter the manufacturing process(es) and fuel so as to change the quality/quantity of emissions generated without the prior permission of the Board.
- 34. The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.
- 35. The industry shall obtain and submit Insurance cover under the Public Liability Insurance Act, 1991.
- 36. The industry shall provide proper and adequate air pollution control arrangements for control emission from its fuel handling area, if applicable.

- 37. The industry shall comply with the code of practice as notified by the Government/Board for the type of industries where the siting guidelines / Code of Practice have been notified.
- 38. The industry shall not cause any nuisance/traffic hazard in vicinity of the area
- 39. The industry shall ensure that the noise & air emission from D.G. sets do not exceed the standards prescribed for D.G. sets by the Ministry of Environment & Forests, New Delhi.
- 40. The industry shall ensure that there will not be significant visible dust emissions beyond the property line
- 41. The industry shall provide adequate and appropriate air pollution control devices to contain emissions from handling, transportation and processing of raw material & product of the industry.
- 42. The Industry shall ensure that its production capacity does not exceed the capacity mentioned in the consent and shall not carry out any expansion without the prior permission / NOC of the Board.

B. SPECIAL CONDITIONS

- 1. The institute shall comply with conditions imposed in the Environmental Clearance granted by MoEF&CC vide its letter no. F. No. IA3- 10/7/2021- IA.III dated 12/3/2021.
- 2. The institute shall comply with the provisions of MSW Rules, 2016.
- 3. The institute shall comply with the provisions of E-waste Management Rules, 2016.
- 4. The institute shall advised to obtain necessary clearance for abstraction of ground water from Punjab Water Regulation and Development Authority (PWRDA).
- 5. The institute shall utilize maximum quantity of treated wastewater for flushing purpose in the newly constructed buildings and report the compliance of the same to the Board.
- 6. The institute shall ensure that the plantation area should always be free from the wild growth and maintain the ridges & furrows of the plantation area in good condition at all the times, so as to utilize the treated wastewater in a scientific manner.
- 7. The institute shall provide permanent water sprinkler near the under-construction buildings for suppressing the dust.
- 8. The institute shall provide arrangements for controlling the fugitive emissions from its labs.
- 9. The institute shall provide solar power plant for its expansion project as per condition imposed in the environmental clearance.
- 10. The institute shall install in house mechanism for handling of municipal solid waste i.e. by installing composter/ composting pits etc.
- 11. The institute shall not emit black smoke from its stacks under any circumstances and will ensure that there is no odour in the surrounding area.
- 12. The institute shall not exceed the generation of effluent of after the completion of the ongoing construction as mentioned in the environmental clearance letter.
- 13. The institute shall obtain varied consent to operate of the Board as required under the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 after completion of the work of construction.
- 14. The institute shall obtain authorization as required under the Hazardous & other Waste (Management & Transboundary Movement) Rules, 2016 from the Board within one month.
- 15. The project proponent shall not throw burn or burry any solid wastes in open outside premises or in drain / water bodies.
- 16. The project proponent shall promote use of alternatives of single use plastics (SUP) and awareness to discourage use of plastic, through their Corporate Environment Responsibility (CER) activities. (See attached banner)
- 17. The project proponent shall ensure that there are no usages of single use plastic-thermocol disposable items such as water bottles / water pouches/water cups, plates, forks, spoons, straw etc. and single use decorating material made of plastic-thermocal or any other non-biodegradable material in the premises.

83



17/05/2023

(Amit Kumar) Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)



Page 8



PUNJAB POLLUTION CONTROL BOARD

Zonal Office-1, Vatavaran Bhawan, Nabha Road, Patiala - 147001

Website:- www.ppcb.gov.in

Office Dispatch No: Registered/Speed Post Date:

Industry Registration ID: R14PTA803193 **Application No:** 21795967

To,

Dr Gurbinder Singh

Thapar Institute Of Engineering & Technology Bhadson Road Patiala

Patiala, Punjab-147004

Subject: Grant Varied 'Consent to Operate'an outlet u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974

for discharge of effluent.

With reference to your application for obtaining Varied 'Consent to Operate' an outlet for discharge of the effluent u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974, you are, hereby, authorized to operate an industrial unit fordischarge of the effluent(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate

1. Particulars of Consent to Operate under Water Act, 1974 granted to the industry

Consent to Operate Certificate No.	CTOW/Varied/PTA/2023/21795967
Date of issue :	17/05/2023
Date of expiry :	31/03/2024
Certificate Type :	Varied
Previous CTO No. & Validity :	CTOW/Varied/PTA/2022/19940423 From:02/12/2022 To:31/03/2023

2. Particulars of the Industry

Name & Designation of the Applicant	Dr. Gurbinder Singh, (Registrar)
Address of Industrial premises	Thapar Institute Of Engineering & Technology, Bhadson Road, Patiala, Patiala,Patiala-147004
Capital Investment of the Industry	103682.0 lakhs
Category of Industry	Red
Type of Industry	1063-Building and construction projects more than 20,000 sq. m built up area and having waste water generation 100 KLD and above
Scale of the Industry	Large
Office District	Patiala
Consent Fee Details	Rs. 720000/- vide UTR no. ICICR52023032200455605 dated 22.03.2023
Raw Materials(Name with quantity per day)	Educational institute and having total Built up area of 3,41,407.54 sqm (84.36 acre) out of total area of 1008194 sqm (249.13 acres)

85

Products (Name with quantity per day)	Educational institute and having total Built up area of 3,41,407.54 sqm (84.36 acre) out of total area of 1008194 sqm (249.13 acres)
By-Products, if any,(Name with quantity per day)	Nil
Details of the machinary and processes	As per application form no. 21449118
Details of the Effluent Treatment Plant	
Mode of Disposal	Domestic Effluent @ 850 KLD : Onto 196416.44 sq.m. green area and excess to 10 acres area under karnal technology
Standards to be achieved under Water(Prevention & Control of Pollution) Act, 1974	As per effluent standards prescribed by the Board/ MoEF&CC from time to time.



(Amit Kumar) Environmental Engineer

For & on behalf of

(Punjab Pollution Control Board)

Endst. No.: Dated:

A copy of the above is forwarded to the following for information and necessary action please: The Environmental Engineer, Regional Office, Punjab Pollution Control Board, Patiala

D 1961

17/05/2023

(Amit Kumar) Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

- 1. This consent is not valid for getting power load from the Punjab State Power Corporation Limited or for getting loan from the financial institutions.
- 2. The industry shall apply for renewal/further extension in validity of consent atleast two months before expiry of the consent.
- 3. The industry shall ensure that the effluent discharging through the authorized outlet shall confirm to the prescribed standards as applicable from time to time.
- 4. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
- 5. The achievement of the adequacy and efficiency of the effluent treatment plant/pollution control devices/recirculation system installed shall be the entire responsibility of the industry.
- 6. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Wastes(Management, Handling and Trans boundary Movement) Rules, 2008 as amended time to time, without any adverse effect on the environment, in any manner
- 7. The responsibility to monitor the effluent discharged from the authorized outlet and to maintain a record of the same rests with the industry. The Board shall only test check the accuracy of these reports for which the industry shall deposit the samples collection and testing fee with the Board as and when required.
- 8. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year.
- The industry shall submit a yearly certificate to the effect that no addition/up-gradation/ modification/ modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
- 10. During the period beginning from the date of issuance and the date of expiration of this consent, the applicant shall not discharge floating solids or visible foam.
- 11. Any amendments/revisions made by the Board in the tolerance limits for discharges shall be applicable to the industry from the date of such amendments/revisions.
- 12. The industry shall not change or alter the manufacturing process(es) so as to change the quality and/or quantity of the effluents generated without the written permission of the Board.
- 13. Any upset conditions in the plant/plants of the factory, which is likely to result in increased effluent and/or result in violation of the standards lay down by the Board shall be reported to the Environmental Engineer, Punjab Pollution Control Board of concerned Regional Office immediately failing which any stoppage and upset conditions that come to the notice of the Board/its officers, will be deemed to be intentional violation of the conditions of consent.
- 14. The industry shall provide terminal manhole(s) at the end of each collection system and a manhole upstream of final outlet (s) out of the premises of the industry for measurement of flow and for taking samples.
- 15. The industry shall for the purpose of measuring and recording the quantity of water consumed and effluent discharged, affix meters of such standards and at such places as approved by the Environmental Engineer, Punjab Pollution Control Board of the concerned Regional Office.
- 16. The industry shall maintain record regarding the operation of effluent treatment plant i.e. record of quantity of chemicals and energy utilized for treatment and sludge generated from treatment so as to satisfy the Board regarding regular and proper operation of pollution control equipment.
- 17. The industry shall provide online monitoring equipmenti ½/2s for the parameters as decided by concerned Regional Office with the effluent treatment plant/air pollution control devices installed, if applicable.
- 18. The pollution control devices shall be interlocked with the manufacturing process of the industry.
- 19. The authorized outlet and mode of disposal shall not be changed without the prior written permission of the Board
- 20. The industry shall comply with the conditions imposed by the SEIAA / MOEF in the environmental clearance granted to it as required under EIA notification dated14/9/06, if applicable.
- 21. The industry shall obtain and submit Insurance cover as required under the Public Liability Insurance Act, 1991
- 22. The industry shall not use any unauthorized out-let(s) for discharging effluents from its premises. All unauthorized outlets, if any, shall be connected to the authorized outlet within one month from the date of issue of this consent.

- 23. The industry shall make necessary arrangements for the monitoring of effluent being discharged by the industry and shall monitor its effluents:-
 - (i) Once in Year for Small Scale Industries.
 - (ii) Four in a Year for Large/Medium Scale Industries.
 - (iii) The industry will submit monthly reading/ data of the separate energy meter installed for running of effluent treatment plant/re-circulation system to the concerned Regional Office of the Board by the 5th of the following month.
- 24. The industry shall provide electromagnetic flow meters at the source of water supply, at inlet/outlet of effluent treatment plant within one month and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th of the following month.
- 25. The Board reserves the right to revoke this consent at any time in case the industry is found violating any of the conditions of this consent and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 as amended from time to time.
- 26. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
- 27. The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural watercourse.
- 28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.
- 29. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of septic tank.
- 30. The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this consent is prohibited except.
 - (i) Where unavoidable to prevent loss of life or some property damage or
 - (ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
- 31. The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises.
- 32. The industry shall comply with the code of practice as notified by the Government/ Board for the type of industries where the siting guidelines/ code of practice have been notified.
- 33. Solids, sludge, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner to prevent any pollutants from such materials from entering into natural water.
- 34. The industry shall re-circulate the entire cooling water and shall also re-circulate/reuse to the maximum extent the treated effluent in processes
- 35. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of re-circulation system/ effluent treatment plant.
- 36. The industry shall make proper disposal of the effluent so as to ensure that no stagnation occurs inside and outside the industrial premises during rainy season and no demand period.
- 37. Where excessive storm water drainage or run off, would damage facilities necessary for compliance with terms and conditions of this consent, the applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
- 38. The industry shall submit a detailed plan showing therein the distribution system for conveying waste-water for application on land for irrigation along with the crop pattern for the year.
- 39. The industry shall ensure that the effluent discharged by it is toxicity free.
- 40. The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.
- 41. Drains causing oil & grease contamination shall will be segregated. Oil & grease trap shall be provided to recover oil & grease from the effluent.

- 42. The industry shall establish sufficient number of piezometer wells in consultation with the concerned Regional Office, of the Board to monitor the impact on the Ground Water Quantity due to the industrial operations, and the monitoring shall be submitted to the Environmental Engineer of the concerned Regional Office by the 5th of every month.
- 43. The industry shall ensure that its production capacity & quantity of trade effluent do not exceed the quantity mentioned in the consent and shall not carry out any expansion without the prior permission/NOC of the Board.

B. SPECIAL CONDITIONS

- 1. The institute shall comply with conditions imposed in the Environmental Clearance granted by MoEF&CC vide its letter no. F. No. IA3- 10/7/2021- IA.III dated 12/3/2021.
- 2. The institute shall comply with the provisions of MSW Rules, 2016.
- 3. The institute shall comply with the provisions of E-waste Management Rules, 2016.
- 4. The institute shall advised to obtain necessary clearance for abstraction of ground water from Punjab Water Regulation and Development Authority (PWRDA).
- 5. The institute shall utilize maximum quantity of treated wastewater for flushing purpose in the newly constructed buildings and report the compliance of the same to the Board.
- 6. The institute shall ensure that the plantation area should always be free from the wild growth and maintain the ridges & furrows of the plantation area in good condition at all the times, so as to utilize the treated wastewater in a scientific manner.
- 7. The institute shall provide permanent water sprinkler near the under-construction buildings for suppressing the dust.
- 8. The institute shall provide arrangements for controlling the fugitive emissions from its labs.
- 9. The institute shall provide solar power plant for its expansion project as per condition imposed in the environmental clearance.
- 10. The institute shall install in house mechanism for handling of municipal solid waste i.e. by installing composter/ composting pits etc.
- 11. The institute shall not emit black smoke from its stacks under any circumstances and will ensure that there is no odour in the surrounding area.
- 12. The institute shall not exceed the generation of effluent of after the completion of the ongoing construction as mentioned in the environmental clearance letter.
- 13. The institute shall obtain varied consent to operate of the Board as required under the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 after completion of the work of construction.
- 14. The institute shall obtain authorization as required under the Hazardous & other Waste (Management & Transboundary Movement) Rules, 2016 from the Board within one month.
- 15. The project proponent shall not throw burn or burry any solid wastes in open outside premises or in drain / water bodies.
- 16. The project proponent shall promote use of alternatives of single use plastics (SUP) and awareness to discourage use of plastic, through their Corporate Environment Responsibility (CER) activities. (See attached banner)
- 17. The project proponent shall ensure that there are no usages of single use plastic-thermocol disposable items such as water bottles / water pouches/water cups, plates, forks, spoons, straw etc. and single use decorating material made of plastic-thermocal or any other non-biodegradable material in the premises.

89



17/05/2023

(Amit Kumar) Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)



Page6

3/29/24, 10:51 AM SPCB Admin Home Annexure 5(a)





Online Consent Management & Monitoring System





Ministry of Environment, Forest and Climate Change Government of India

Online Payment Verification

Consent

Management

View Notices 0

Home





Laboratory Waste Management Manag

E-Waste Management Solid Waste Management Authorization Construction & Demolition Authorization

Batteries Registration CESS Management

Knowledge Base

Logout

Date: 29-3-2024



Welcome Thapar Institute of Engineering & Technology

Consent Application Details

Application No: 25167783

Congratulations! Application submitted successfully.

Please submit the required enclosures to concerned Office within 48Hrs with online submitted application.

Your Consent Application application has been received under the Application Number **25167783**. (Note this number for future communication and know the online status of the application submitted)

To view the submitted application form click onto "View Application Form" and To print the application form click onto "Print Application Form"

<u>View Application Form</u> Print (Application Form)

Head Office Address
Member Secretary
Punjab Pollution Control Board
Vatavaran Bhawan, Nabha Road, Patiala, 147001,
Punjab, India
Phone: 91-175-2215793, 2215802
Website: www.ppcb.gov.in

3/29/24. 10:33 AM SPCB Admin Home







Online Consent Management & Monitoring System

Government of India







Consent Home Management

Laboratory Management

Waste Management

E-Waste Management

Solid Waste Management Authorization Construction & Demolition Authorization

Batteries Registration

CESS Management Knowledge **Base**

Logout

Date: 29-3-2024

Online Payment Verification

▶ View Notices 0

Send us your feedback and suggestions





Welcome Thapar Institute of Engineering & Technology

Consent Application Details

Application No: 25220725

Congratulations! Application submitted successfully.

Please submit the required enclosures to concerned Office within 48Hrs with online submitted application.

Your Consent Application application has been received under the Application Number 25220725. (Note this number for future communication and know the online status of the application submitted)

To view the submitted application form click onto "View Application Form" and To print the application form click onto "Print Application". Form"

View Application Form

Print Application Form

3/29/24. 10:39 AM SPCB Admin Home

Waste





Online Consent Management & Monitoring System



CESS

Management

Batteries

Registration



Date: 29-3-2024

Logout

Knowledge

Base

Ministry of Environment, Forest and Climate Change Government of India

Solid Waste

Management

Authorization

Management Management Online Payment Verification

Consent

▶ View Notices 0

Home

Send us your feedback and suggestions



Laboratory

Management Management

Welcome Thapar Institute of Engineering & Technology

E-Waste

Consent Application Details

Application No: 25220756

Construction &

Demolition

Authorization

Congratulations! Application submitted successfully.

Please submit the required enclosures to concerned Office within 48Hrs with online submitted application.

Your Consent Application application has been received under the Application Number 25220756. (Note this number for future communication and know the online status of the application submitted)

To view the submitted application form click onto "View Application Form" and To print the application form click onto "Print Application". Form"

View Application Form **Print Application Form**



STRUCTURAL STABILITY CERTIFICATE

Certified that, undersigned shall analyse and design the Complete Structure of New Boys

Hostel – 928 Pax being constructed at Thapper University Patiala, Punjab.

It is further certified that the structural design has been done in accordance with the provisions of relevant I.S. Codes including IS: 456, IS:1786, IS:875 and IS:1893, IS:4326 for schematic zone III.

Hence structure is Safe and Stable under the designed loads and natural hazards including earth-quake.



Yours faithfully,
For, M/s. Perceptive Ideas Consulting Engineer Private Limited

Mr. Ajay Gupta
Registration No. M -1474744;
CHARTERED ENGINEER (CIVIL DIVISION)
Institution of Engineers (India)

Date: 15/11/2019



ਪਟਿਆਲਾ **ਨਿਗਮ** H31 5-2 ਨਗਰ 5592 ਨੰਬਰ 93 APP 作日 ਰਜਿਸਟਹਾਰ ਥਾਪਰ ਯੂਨੀਵਰੀਖ਼ਟੀ ਪਟਿਆਲਾ। ਡੁੰਪ ਤੇ ਕੜਾ ਸੁਟਣ ਸਬੰਧੀ। ंसम् ਮਾਨਯੋਗ ਕਮਿਸਨਰ ਨਗਰ ਨਿਗਮ ਪਟਿਆਲਾ ਜੀ ਦੇ ਹੁਕਮ ਮਿਤੀ 5/2/19 ਅਨੁਸਾਰ ਹਨ ਲਿਖਿਆ ਸ਼ਰਤਾਂ ਤੇ ਪ੍ਰਤੀ ਮਹੀਨੇ 3000/-ਰੁਪਏ ਨਗਰ ਨਿਗਮ ਪਟਿਆਲਾ ਦੇ ਖਾਤੇ ਵਿੱਚ ਜਮਾ ਕਰਵਾਉਣ ਤੇ ਕੁੜਾ ਸੁੱਟਣ ਦੀ ਪ੍ਰਵਾਨਗੀ ਦਿੱਤੀ ਜਾਂਦੀ ਹੈ। ਇਹ ਕਿ ਕੁੜਾ ਸੁਟਣ ਦੇ ਚਾਰਜ਼ ਹਰ ਮਹੀਨੇ ਐਡਵਾਂਸ ਜਮਾ ਕਰਵਾਏ ਜਾਣ।

- ਕੂੜਾ ਸੁਟਣ ਲਈ ਟਰੈਕਟ ਟਰਾਲੀਆ ਚੱਕਕੇ ਡੱਪ ਤੇ ਲਿਆਂਦੀ ਜਾਵੇ।
- ਕੁੜਾ ਕਰਕਟ ਸੰਸਥਾ ਵੱਲ ਆਪਣੀ ਟਰੈਕਟ ਟਰਾਲੀ ਰਾਂਹੀ ਡੰਪ ਤੇ ਸੁਟਿਆ ਜਾਵੇਗਾ।
- ਕੁੜਾ ਕਰਕਟ ਵਿੱਚ ਕੋਈ ਵੀ ਵਾਇਓ ਮੈਡੀਕਲ ਵੇਸਟ ਨਹੀਂ ਹੋਣਾ ਚਾਹੀਦਾ।

News / News of हताव हितान-परिभाष्ट्र ਹੈਲਬ ਅਫ਼ਸਰੇ राजान रिक्तार्थ, प्रिटिभासी

> Thapar Institute of Engineering & Tech. PATIALA-147 004 (India)

326



Deemed to be University,

Thapar Technology Campus, Bhadson Road

Patiala 147 004 Punjab India

Phone : +91-175-2393917 (O), 2393026

Email :npsingh@thapar.edu, pushap.raj@thapar.edu

: www.thapar.edu URL

> TIET/CS/ Haz Waste / 2022-23/ 296 February 23, 2023

The Environmental Engineer (HQ-I) Punjab Pollution Control Board Regional Office, Vatavaran Bhawan

Subject:

Nabha Road **PATIALA**

Disposal of Hazardous Waste (Used Oil Cat 5.1) -

Thapar Institute of Engg. & Technology Patiala

Sir,

Attached herewith the details of Waste Oil Disposal under category of Hazardous Waste (Used Oil Cat 5.1) from Thapar Institute of Engg. & Technology Patiala as disposed on 10.02.2023:

S. No.	Description	Details
1	Disposed Quantity of Hazardous Waste (Used Oil Cat .1) (WASTE OIL)	660 Ltrs
2	Manifest Details of M/s. Satkar Oil Company:	400/22-23 dt. 10.02.2023
3	Authorised Refiner / Recycler:	M/s SATKAR OIL Company D-177, Phase- VI, Focal Point Ludhiana
1	Registration of Authorised Refiner / Recycler:	PPCB/20-II/2021-23/F-2
	Date of Issue of Registration :	09.04.2021
6	Validity of Registration:	08.04.2026

Submitted herewith for your kind records Manifest alongwith the details of passbook entry.

Thanking You

Yours Truly

For Thapar Institute of Engg. & Technology Patiala

23 Kttached: 1. Manifest 1st Copy (No. 400/22-23 dt. 10.02.2023) of M/s. Satkar Oil Co. Ludhiana

2. Passbook Entry Page & Registration Certificate cum Passbook M/s. Satkar Oil Ludhiana

FORM 10 [See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1.	Sender's name and mailing address (including Phone No. and e-mail)	Deputy Registrar (Central Stores) Thapar Institute of Engg. & Technology -(Deemed to be University) PATIALA-147 004 (Instia)
2.	Sender's authorisation No. :	
3.	Manifest Document No. :	400/22-23
4.	Transporter's name and address: (including Phone No. and e-mail)	SATKAR OIL COMPANY, D-177, Phase-VI, Focal Point, Ludhiana. Ph.: 5053100
5.	Type of vehicle :	(Truck/Tanker/Special Vehicle)
6.	Transporter's registration No.	HWM/RENEW/LDH4/2021/15792504
7.	Vehicle registration No.	1007 AL 4906
8.	Receiver's name and mailing address (including Phone No. and e-mail)	SATKAR OIL COMPANY, D-177, Phase-VI, Focal Point, Ludhiana. Ph.: 5053100
9.	Receiver's authorisation No.	HWM/RENEW/LDH4/2021/15792504
10.	Waste description :	USED OIL CAT 5.1
11.	Total quantity No. of Containers	
12.	Physical form :	(Solid/Semi- Solid/Sludge/Oily/Tarry/Slurry/Liquid)
13.	Special handling instructions and additional information :	
14.	Sender's Certificate (Deputy Registrar (Central Stores) (Central Institute of Engs. & Technology (Thopar Institute of Engs.) (Deemed to be University) (Deemed to be University) (Additional Partial A-147 004 (India)	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
	D-177, Pit ge-11. 1 al Point,	onth Day Year (**) 2 1 0 2 0 2 5
15.	Transporter acknowledgement of receipt of Wastes	
	SATKAGA	onth Day Year O 2 1 0 2 2 3
16.	Receiver's certification for receipt of hazardous Name and stamp: Signature: Me	and other waste onth Day Year

Passbook for Re-refining/Recycling of Hazardous Wastes

(. Wantel Uned Oil (6+:5:1)

Name and Address: M/3 Sithar Oil Co., D-171,

of the Industry Phase - 6, Focal Point,

Luchiana.

Telephone/Fax No.: 98152-27100

E-mail Address: Info @ Sathago oil Com.

E-mail Address Injo (a) SqtRas out Parish Address PPCO [20- Σ 1, 2021-25] F-2.

Registration No. Q-4-21

Date of Issue Q-4-2021 To 8-4-2025,

S. No.	Hezardous Wastes Type	Quantity (Tons Per Annum)
	Wastellsed Oil	2100 KJannen
	Wastellard Oil [Ontegory 5.1]	
	_ , ,	
	1951	

and other waste (wanagement & Transboundary Movement) Rules, 2016 or as per the procedure set by Punjab Pollution Control Board, as amended from time to time.

- 22. The passbook may be cancelled or suspended by PPCB as per the provisions of Hazardous and other Waste (Management & Transboundary Movement) Rules, 2016, in case the re-rofiner/recyclerfails to comply with any of the conditions of the passbook or with any of the provisions of the Environment (Protection) Act, 1986 as amended or Rules made there under.
- The industry shall comply with the above conditions as applicable to the industry w.r.t to the type of hazardous waste re-refining/ recycling and the SOPs prescribed by MotFF & CC/CPCB/PPCB for such units.
- In addition to above, Punjab Pollution Control Board may stipulate format conditions, if so required in the interest of environment protection.
- 25. Additional Conditions:

Date : 9-4-21

Place : Luchi ma

a) The industry shall couply with 50% daid for such light of which Confidente confidente of million of the DTC in any yout agency in this regard.

In the industry shall contine that andy have harboritishes involved in material bandle my bounded to make the trady towards to the industry shall compaly with the quild mass on indiamentally distributed to a finite many of the formation of the fundamental distributed to the finite of the fundamental distributed by court of the fundamental couply could be considered by court of the fundamental couply could be considered by court of the fundamental couply could be considered by court of the fundamental couply could be considered by court of the fundamental couply could be considered by court of the fundamental couply could be considered by court of the fundamental couply could be considered by court of the fundamental couply could be considered by court of the fundamental couply could be considered to the couple of the fundamental couple could be considered to the couple of the couple of the couple couple of the couple of the couple of the couple co

[Condition No. 5 of the Registration]

VVas	ite(s)	Type ΩA≤2 L.Cr	4.2-1] 7.77?	Permitted(Quantity:	ussahisak.
S. No.	Date	Address of the Auctioneer/ Seller	Type & Quantity of HW sold/ Auctioned	Signature & Seal of the Auctioneer/ Seller with date	Date of arrival in the Racyclers promises & Challan No.	Halance Quantity (Registered Produced till date)
(1)	(2)	(3)	(4)	(5)	(6)4	(7)
	प्राच्या प्राच्या	Restators Restartion Treetoring Heatigraphing	350417 52 Drond 10920(F)			
12/	4/21	MISTOT ded chase	11 Dieus			
20	41(4)	forther sur	2310 CTR			

to Day no Mestle India Las 5/5/21 Dion 4. Internations 20 Doums Treclet tro 4200 US Blogar 2 Drum 17 2 21 Automobile CGO UN PHO ALK JIL Plan Tribert -1 Oron KTO Barre 14100 de

(27 Flat Internations of a Droph Super Authorities of the Super Authori

4/4/21 medicated 90 err

*To be filled by the Re-refiner/ Recycler

Senior Environmental Engineer, Punjab Pollution Control Goard 5 Zonal Office-II, LUDHIANA.

Walle.

99

Authorised Signatory

Senior Environme Shall Inglight.

Punjab Poliution Contro! H. Wi

*onal Office-II, LUC: ***

Endorsement by the Auctioneer/Seller (except column No. 6 & 7 [Condition No. 5 of the Registration]

Registration No.	;Date:
Waste(s) Type	:Permitted Quantity:

S. No.	Date .	Address of the Auctioneer / Seller	Type & Quantity of HW sold/ Auctioned	Signature & Seal of the Auctioneer/ Seller with date	Date of arrival in the Recyclers premises & Challan No.	Balance Quantity (Registered- Procured till date)	
(1)	(2)	(3)	(4)	(5)	(6)*	(7)*	
10	02	Deputy Regist (Central Store Thapar Institute of Deemed to be t PATIALA-147 004	Engg. & Techno Iniversity)	Ex 1 4	5		
						- Company - Company	
1							
Ī							
<u></u>		by the Pagrat				100	

*To be filled by the Recycler

Endorsement by the Auctioneer/Seller (except column No. 6 & 7 [Condition No. 5 of the Registration]

Registration No.	:	Date :
Waste(s) Type	1	Permitted Quantity:

S. No.	Date	Address of the Auctioneer / Seller	Type & Quantity of HW sold/ Auctioned	Signature & Seal of the Auctioneer/ Seller with date	Date of arrival in the Recyclers premises & Challan No.	Balance Quantity (Registered- Procured till date)
(1)	(2)	(3)	(4)	(5)	(6)*	(7)*
	•					*
					ting is	

^{*}To be filled by the Donnela

THAPAR INSTITUTE
OF EXCUSERING & TECHNOLOGY
(Decimed to be University)

Thapar Technology Campus, Bhadson Road

Patiala 147 004 Punjab India

Phone : +91-175-2393917 (O), 2393026

Email :npsingh@thapar.edu,

ashwini.aggarwal@thapar.edu

URL: www.thapar.edu

TIET/CS/ E Waste/ Form -3/2023-24/ 6 April 29, 2024

may 3, 2024

The Environmental Engineer Punjab Pollution Control Board Regional Office, Vatavaran Bhawan Nabha Road PATIALA

Subject:

Annual Return Filing (E-Waste) Form-3 for Year 2023-24

(Thapar Institute of Engg. & Technology Patiala)

Sir,

Attached herewith please find the Annual Return (E-Waste) filed for period 01.04.2023 to 31.03.2024 of Thapar Institute of Engg. & Technology Patiala duly in the Form-3 under Rule 9(4) of E Waste (Management) Rules 2022.

S. No.		Description	Details
1.	The Size of E W Thapar Institu	Size : 20ft x 10ft.	
2.	O.B.	as on 01.04.2023	NIL
3.	Collection	Collection during 2023-24	3.756 MT
4.	Disposal	Disposal during 2023-24	3.756 MT
5.	C.B.	as on 31.03.2024	NIL

Submitted for your kind records.

Thanking You

Yours Truly

For Thapar Institute of Engg. & Technology Patiala

Attached:

Registrar

Form -3 (TIET Patiala) of E Waste (Management) Rules 2022 for 2023-24

Annexure to Form -3 (Details of Collection & Disposal Records)

215/24

E Waste (Management) Rules 2022 FORM - 3 ANNEXURE TO FORM - 5 FOR FILING ANNUAL RETURNS E Waste ANNUAL RETURN REGISTER 2023-2024 THAPAR INSTITUTE OF ENGG, & TECHNOLOGY PATIALA



S.No (List)	S.No. (Register)	Date of Receiving	Deptt.	E-waste Items	Qty (Nos.)	Wt. (Kg)	Schedule	Category	Electrical & Electronic Equipment Code	Remarks
23001		01.04.2024		E Waste Stock Opening Balance (O.B.)	NIL	NIL				
23002	1	11-Apr-23	ELC CW	Recd. 1 No. Compatible toner against bill No. 91 dated 11.4.23 for Rs. 450/-	1		1(1)	E Waste of Copying Equipment	ITEW07	
23003	2	19-Apr-23	CITM	Recd 1 No. Old HDD 480 GB against bill No. 90 dated 19.4.23 for Rs. 3300/-	1		1(1)	E Waste of Copying Equipment	ITEW07	
23004	3	27-Apr-23	CED	Recd 1 No. ram 4 GB against bill no. 214 dt. 26.4.23 for Rs. 1,990/-	1		1(1)	Laptop Computers	ITEW3	
23005	4	01-May-23	CMS	Recd 1 No. Toner Cartridge photocopy machine sharp MX-500AT against bill No. 58 dt 20.4.23 for RS. 13,800/-	1		1(1)	E Waste of Copying Equipment	ITEW07	
23006	5	03-May-23	CW ELC	Recd 1 No. Toner compatible toner 337 against bill No. 322 dt 3.5.23 for Rs. 450/-	1		1(1)	E Waste of Copying Equipment	ITEW07	
23007	6	08-May-23	Director	Recd old wireless mouse logitech against bill No. 2457 dt 1.5.23 for Rs. 700/-	1		1(1)	Laptop Computers	ITEW3	
23008	7	11-May-23	CSED	Recd 1 No. Old Laptop Battery against bill NO. 2471 dt 9.5.23	1		1(1)	Laptop Computers	ITEW3	
23009	8	23-May-23	CMS	Recd 1 No. Black Toner Cartridge against bill No. 64 dt 9.5.23	1		1(1)	E Waste of Copying Equipment	ITEW07	
23010	9,	26-May-23	SCBC	Recd 1 No. Toner cartridge photocopy machine sharp MX-500AT against bill No. 79 dt 19.5.23	1		1(1)	E Waste of Copying Equipment	ITEW07	
23011	10	26-May-23	SCBC	Recd 1 No. Photocopy machine web roller against bill No.82 dt 24.5.23	1		1(1)	E Waste of Copying Equipment	ITEW07	
23012	11	26-May-23	ECED/ELC	Recd old compatible toner against bill No.394 dt 16.5.23	1		1(1)	E Waste of Copying Equipment	ITEW07	
23013	12	30-May-23	CSED	Recd list of write off items laser printer as per list attached	7		1(1)	E Waste of Copying Equipment	ITEW07	
23014	13	08-Jun-23	CED	Recd 1 No. HP 12 A Toner Cartridge against bill No. 3546 dt 21.4.23	1		1(1)	E Waste of Copying Equipment	ITEW07	
23015	14	08-Jun-23	Director	Recd 1 No. HP 201 A lasertoner cartridge against bill No. 2520 dt 7Jun23	1		1(1)	E Waste of Copying Equipment	ITEW07	
23016	15	30-Jun-23	FO	Recd 1 No. Laptop ITB SSD internal HDD against bill No. 2545 dt 19.6.23	1		1(1)	Laptop Computers	ITEW3	TIET NRGP 412, DC NO: 210 DT 15.9.23
23017	16	30-Jun-23	CS	Recd 1 No. Desktop computer dell optiplex as per writeoff approval dt 28.6.23	1		ľ(l)	Laptop Computers	ITEW3	AND MANIFEST NO. SR/2019/M-748 Disposed to M/s Spreco Recycling
23018	17	30-Jun-23	MED	Recd 1 No. old battery of UPS against bill No. 0741 dt 29.6.23	1		1(1)	Laptop Computers	ITEW07	(Regd No. 5772 Dt. 22-09-2023) PPCB/LDH/SEE/2O-2/R-04 Dt. 22-09-2023 Valid upto 30-06-2028
23019	18	21-Jul-23	MED	Recd 1 No. old battery of UPS against bill No. 0923 dt 20.7.23	1		1(1)	Laptop Computers	ITEW07	
23020	19	01-Aug-23	SCBC	Recd 1 No old Printer Drum against bill NO. 2612 dt 24.7.23	1		1(1)	E Waste of Copying Equipment	ITEW07	
23021	20	09-Aug-23	DOSA	Recd 1 No. AIO Dell Desktop deleted from the name of Inder veer Channa as per writeoff approval dt 28.4.23	1		1(1)	Laptop Computers	ITEW3	
23022	21	25-Aug-23	CMS	Recd E-waste 4 items as per letter dated 25.8.23	4		1(1).	As Mentioned itemwise		
				Ventilation Fan	12 Nos		1(1)	Other Fanning, Exhaust ventilation equipment	LSEEW15	
				Ventilation fan	05 No		1(1)	Other Fanning, Exhaust ventilation equipment	LSEEW15	
				V Fan	54 no		1(1)	Other Fanning, Exhaust ventilation equipment	LSEEW15	

(List)	(Register)	Date of Receiving	Deptt.	E-waste Items	Qty (Nos.)	Wt. (Kg)	Schedule	Category	Electrical & Electronic Equipment Code	Remarks
				Neo fan motor for exhaust fan	- 33 no		I(I)	Other Fanning, Exhaust ventilation equipment	LSEEW15	
23023	22	31-Aug-23	CW ELC	Recd 1 No. Toner cartridge against bill No. 01272 dt 30.8.23 for Rs. 450/-	1		1(1)	E Waste of Copying Equipment	ITEW07	
23024	23	04-Sep-23	ELC CW	Recd 1 No. old toner cartridge against bill No. 1970 dt 26.8.23	1		1(1)	E Waste of Copying Equipment	ITEW07	
23025	24	12-Sep-23	ECED	Recd 1 No. old toner cartridge against bill No. 711 dt 19.7.23	1		1(1)	E Waste of Copying Equipment	ITEW07	
23026	25	15-Sep-23	CMS SST-6	Recd E-waste material 24 items as per list attached dt 25.8.23	LOT		1(1)	Fluorescent & Other Mercury Lamps	CEEW5	
23027	25 1			DISPOSED OFF E WASTE OF SR NO. 1 TO 25 AS ABOVE VIDE NRGP NO 412, DC NO: 210 DT 15.9.23 AND MANIFEST NO. SR/2019/M-748	S. No 1to25	459Kg				
23028	25 A	15.9.23	Hostels	E-waste material for Hostels G,H,I,PG and Hostel A,E,I as per list			1(1)	as mentioned below		
				Geyser from Hostels	15		1(1)	Thermostat		
				Batteries of Invertor	26		1(1)		LSEEW24	TIET NRGP 415 Dt. 22-09-2023
				Stabillizers	8		1(1)	Batteries	ITEW24	DC. No. 222 Dt. 22 09-2023
_				LCDs	44		1(1)	Thermostat	LSEEW24	Menifest No. SR/2019/M - 754 Disposed to M/s Spreco Recycling
				Invertors	17		1(1)	Television Set	CEEW1	(Regd No. 5772 Dt. 22-09-2023)
23029	25B	22.9.23	cs	DISPOSED OFF E WASTE OF SR NO. 25A AS ABOVE VIDE NRGP NO 415, DC NO: 222 DT 22.09.23 AND MANIFEST NO. SR/2019/M-754	S. No. 25A	783 Kg	1(1)	Invertors	ITEW25	PPCB/LDH/SEE/ZO-2/R-04 Dt. 22-09-2023 Valid upto 30-06-2028
3030	25C	27.9.23	cs	DISPOSED OFF E WASTE OF SR NO. 25A AS ABOVE VIDE NRGP NO 420, DC NO: 228 DT 27.09.23 AND MANIFEST NO. SR/2019/M-757	S. No. 25A	483 Kg	1(0)			TIET NRGP 420 Dt. 27-09-2023 DC. No. 228 Dt. 27-09-2023 Menifest No. 5R/2019/M - 757 to Dispose to M/s Spreco Recycling
3031	26	29-Sep-23	TSLAS	Recd old photocopier toner black cyan toner magenta toner yellow toner against bill No. 300 dated 19.9.23 for Rs. 39,200/-	4		1(1)	E Waste of Copying Equipment	ITEW07	(Regd No. 5772 Dt. 27-09-2023)
3032	27	10-Oct-23	SCBC	Recd 1 no. old projector lamp against bill NO. 316 dt 26.9.23	1		I(I)	Fluorescent & Other Mercury Lamps	ITEW07	
3033	28	16-Oct-23	CMS	Recd 1 No. old Cartridge against bill No. 189 dt. 5.10.23	1		1(1)		Company of the Compan	
3034	29	30-Oct-23	SPMS	Recd E-waste items of SPMS as per attached Director approval of write-off for above items dated 21,9,23	10 Nos (93 KGS)		1(1)	E Waste of Copying Equipment As Mentioned below	ITEW07	
-				Dell Optiplex, P IV Compupter, Lenovo Computest	7		1(1)	- Copmputer Laptop		TIET NRGP 576 Dt. 30-10-2023 DC. No 433 Dt. 30-10-2023
_				Dell Tablet	1		1(1)	Tablet	ITEW3	Menifest No. SR/2019/M - 771 to Dispose
_				lenovo Printer, Printet	2		1(1)	Printers Including Cartridges	TILLAND	to M/s Spreco Recycling
			CCT C O COT C	Ram	2		1(1)	Data Storage Device	ITEW07	(Regd No. 5772 Dt. 27-09-2023)
3035	30	30-Oct-23	SST 5 & SST 6 CMS	Recd E-waste items of SST 5 and SST 6 CMS as per letter no. nil dated 17.10.23	LOT	LOT	1(1)	as mentioned below	ITEW7	PPCB/LDH/SEE/ZO-2/R-04 Dt. 22-09-2023 Valld upto 30-06-2028
				Old Tube Light, LED Light etc				Fluorescent & Other Mercury Lamps	CEEW5	
8036	30A	30-Oct-23	cs	DISPOSED OFF E WASTE OF SR NO. 26 to 30 AS ABOVE VIDE NRGP NO 576, DC NO: 433 DT 30.10.23 AND MANIFEST NO. SR/2019/M-771	Sr. No 26 To 30	183 Kg	1(1)			
1037	31	S	CMS SST-6	Recd Exhaust fan old motor 250mm against bill No 6104 dt 5.10.23	20 Pcs		1(1)	Other Fanning, Exhaust ventilation equipment	LSEEW15	
038	32	03-Nov-23	CSED	Recd 1 No. laptop battery against bill NO. 219 dt 27.9.23	1		1(1)			
039	33	20-Nov-23	GAS	Recd 1 No. HP laserjet cartridge against bill No. 2865 dt 7.11.23	-		1(1)	Computer laptop	ITEW07	

103 Menuary Renuary

(List)	S.No. (Register)	Date of Receiving	Deptt.	E-waste Items	Qty (Nos.)	Wt. (Kg)	Schedule	Category	Electrical d Electronic Equipment Code	8000000000
23040	34	23-Nov-23	MED	Recd 4 Nos split ton split AC alongwith two stabilizer as per writtee of list attached dt 16.11.23	4+2=6		1(1)	Spare parts of AC	CEEW4	TIET NRGP 630 Dt. 30-11-2023 DC. No. 487 Dt. 30-11-2023
23041	33	28-Nov-23	CMS	Recd 1 No. lift drive Inverter against bill No. 053 dt 20.11.23	1		1(1)	Spare parts of Lift	+	Menifest No. SR/2019/M - 780 to Disposi
23042	36	30-Nov-23	CMS SST-I	Recd as perlist Sr. NO. 1 to 9 old e-waste material (lighting sub station I	766 Nos		1(1)	As Mentioned below	1	to M/s Spreco Recycling (Regd No. 5772 Dt. 27-09-2023)
				LED Set, LED Light, Tube Rods, CFL	LOT			Fluorescent & Other Mercury Lamps	CEEWS	PPCB/LDH/SEE/ZO-2/R-04 Dt. 22-09-2023 Valid upto 30-06-2028
		A AND A DO		Electronic Choke	30			Fluorescent & Other Mercury Lamps	CEEW5	DE 22-03-2023 Valid Upito 30-06-2028
23043	37	30-Nov-23	cs	DISPOSED OFF E WASTE OF SR NO. 31 to 36 AS ABOVE VIDE NRGP NO 630, DC NO: 487 DT 30.11.23 AND MANIFEST NO. SR/2019/M-780	Sr. No 31 To 36	840 Kg	1(1)		CEWS	
23044	38	07-Dec-23	CILPED	Recd 1 No. old HP Laserjet cartridge CE505A against billNo. 1378 dt 1.11.23	1		1(1)	E Waste of Copying Equipment	ITEW07	Ville N Cas
23045	39	07-Dec-23	NNCL	Recd 5 Nos Photocopyy toner against bill No. 118095720 dt 26.9.23	5		1(1)	E Waste of Copying Equipment	ITEW07	
23046	40	03-Jan-24	Director	Recd 1 No. HP Toner cartridge 201 A Black against bill No. 2953 dt 3.1.24	1		1(1)	E Waste of Copying Equipment	ITEW07	
23047	41	08-Jan-24	CED	Recd 1 No. HP 78 A cartrdige against bill No. 3535 dt 4.11.23	1		1(1)	E Waste of Copying Equipment	ITEW07	
23048	42	10-Jan-24	CILPED	Recd 1 No. Toner Cartridge CF 400A Black against Bill No. 1743 Dt. 6.1.24	1		1(1)	E Waste of Copying Equipment	ITEW07	
3049	43	16-Jan-24	SCBC	Recd 1 No. seal DSELagainst bill No. 513 dt 2,1.24	1		I(I)	E Waste of Copying Equipment	ITEW07	
3050	44	23-Jan-24	ECED	Recd 1 No. HP 11 A laser toner cartridge against bill No. 3000 dt 19.1.24	1		1(1)	E Waste of Copying Equipment	ITEW07	
3051	45	23-Jan-24	CED	Recd 4 No keyboard logitech & USB Mouse Logitech against bill No. 2974 dt 10.1.24	4+3 =7		1(1)	Laptop Computers	ITEW3	
3052	46	06-Feb-24	DPMS	Recd 1 No. HP-78A Toner Cartridge against bill No. 3010 dt 23.1.24	1		1(1)	E Waste of Copying Equipment	ITEW07	
3053	47	09-Feb-24	ECED	Recd 1 No. Laptop battery & Laptop screen against bill No. 3020 dt 27.1.24	2		1(1)	Laptop Computers	ITEW3	
3054	48	13-Feb-24	Ched. Engg	Recd 1 No. laptop battery against bill No. 2797 dt 3.10.23	1		1(1)	Laptop Computers	ITEW3	
3055	49	16-Feb-24	EIED	Recd & 8 pcs keyboard Old & 10 Pc Mouse dell USB Wired against bill No. 1027 dt 12.2.24 for Rs, 7,800/-	10+8		1(1)	Laptop Computers	ITEW3	TIET NRGP 641 Dt. 07-03-2023
3056	50	16-Feb-24	ELC CW	Recd 1 No. old compatible toner 337 against bill NO. 442 dt 16.2.24	1		1(1)	E Waste of Copying Equipment	ITEW07	DC. No. 500 Dt. 07-03-2024 Menifest No. SR/2019/M - 796 to Disposed to M/s Spreco Recycling
3057	51	21-Feb-24	CMS	Recd E-waste items of CMS as per attached director apporval of writee off for above items dt 14.2.24 tube sets, tube rods, amplifier etc.	LOT		1(1)	E Waste of Mercury Lamps	CEEWS	(Regd No. 5772 Dt. 27-09-2023) PPCB/LDH/SEE/ZO-2/R-04 Dt. 22-09-2023 Valid upto 30-06-2028
				E Waste of tube set & Lights/rods/Street lights/ Flood Light	LOT		1(1)	Fluorescent & Other Mercury Lamps	CEEW5	
				Singal phase & Three Phase meter	90		1(1)	Equipment Having electrical & electronic componets	CLEVYS	
				Amplifier	1		1(1)	Audio Amplifier	CEEW12	
				Telephone	18		1(1)	Telephone	ITEW12	
1058		22-Feb-24	TIFAC-Core	Recd 1 No. toner cartridge HP 12 A againsst bill No. 3451 dt 8.2.24	1		I(I)	E Waste of Copying Equipment	ITEW07	
059	53	22-Feb-24	TIFAC-Core	Recd 1 No. toner cartridge 88A toner against bill No. 3492 dt 21.2.24	1		1(1)	E Waste of Copying Equipment	ITEW07	

M. Kumon r Henwards

S.No (List)	S.No. (Register)	Date of Receiving	Deptt,	E-waste Items	Qty (Nos.)	Wt. (Kg)	Schedule	Category	Electrical & Electronic Equipment	Remarks
3060	54	22-Feb-24	SST-6 CMS	Recd 1 No. drive Inverter Cpic-1-41 18.5 kw against bill No. PB1002014460 dt 21.2.24	1				Code	
3061	55	28-Feb-24	ECED	Recd 2 No. cartridge canon against bill No. 3100 dt 27.2.24	. 2		1(1)	E Waste of Copying Equipment	ITEW07	
3062	56	05-Mar-24	ECED	Recd 1 No.compatible toner against bill NO. 2695 dt 16.2.24	1		1(1)	E Waste of Copying Equipment	ITEW07	
3063	57	07-Mar-24	CS	Recd E-waste items of CS as per attached Director approval fow write off for above items dt. 1.1.24 HP Laserjet Printer HP Laserjet Scanner samsung GT-Nokia old speakers dell mouse Sr. 2, 3, 4, 5			1(1)	As Mentioned below		
-			-	HP Priter 1505	1			E Waste of Copying Equipment		
-				HP Scanner 2400	1			E Waste of Copying Equipment	ITEW07	
				Mobile Phone	3	12.1		Celluar	ITEW07	
-				Speaker	1				ITEW15	
-				Landline Phone	1			Audio Amplifier	CEEW12	
				Dell AIO	1			Telephone	ITEW12	
064	57(A)	07-Mar-24	E-Waste Store	DISPOSED OFF E WASTE OF SR NO. 38 to 57 AS ABOVE VIDE NRGP NO 641, DC NO: 500 DT 07.03.24 AND MANIFEST NO. SR/2019/M-796	Sr.No. 38 To 57	1008 Kg	1(1)	Laptop Computers	ITEW3	
					Qty In N	ΛT				
4				E Waste (O.B.) as on 01-04-2023	NIL					
				E Waste Collected in the year 2023-24	3.756					
				E Waste Disposed during the year 2023-24	3.756					
				E Waste (O.B.) as on 01-04-2024	NIL					

M. Eumor. 87 T7071066.

105

Ministry of Environment and Forest & Climate Changes (MoEF &CC), Govt. of India has granted the approval to their project "Expansion of Thapar Institute of Engineering & Technology, Patiala" vide letter no F.No IA3-10/7/2021-IA.III. dated 12-03-21

The copy of clearance containing the conditions to be complied is available at official website of MoEF &CC and TIET Patiala.

Either of the following mentioned officials may be contacted for further information:-

Dr. Gurbinder Singh Registrar, TIET Patiala

Er. Rajendra Nigam, General Manager (P&E) TIET Patiala

Government of Punjab Tender Notice Reference No. 65 Dt. 24.03.2021

On behalf of the Governor of Punjab Executive Engineer, Provincial Division, PWD B&R, Sangrur invites online bids for the following works:-

Sr. No.	ltem	Quantity
	Construction of road along Police Line Boundary Wall up to Hareri road under Head 5054 RB-10 including maintainance of road for 5 years.	1
	Periodical repair of Sunam-Jagatpura Khadial-Taranjikhera up to Sullar (NH-71) road (ORD-19) road length=3.00 Kms. (Under Head 3054) including maintainance of road for 3 years (One Year Defect Liability Period+2 Years Maintainance Period).	1

Closing date & time:- Will be intimated later on website http:eproc.punjab.gov.in. For details logon to:- http:eproc.punjab.gov.in.

Note: Any corrigendum(s) to the Tender Notice shall be published on the above website only.

Sd/- Executive Engineer, Provincial Divn. PWD B&R, Sangrur (Pb.).

DPR/Pb/3084

EXCISE & TAXATION DEPARTMENT U.T., CHANDIGARH

Corrigendum regarding change of venue for opening of Technical/Financial e-bids.

This is for information of the general public that venue

PUBLIC NOTICE

Ministry of Environment and Forest & Climate Changes (MoEF &CC), Govt. of India has granted the approval to their project "Expansion of Thapar Institute of Engineering & Technology, Patiala" vide letter no F.No IA3-10/7/2021-IA.III. dated 12-03-21

The copy of clearance containing the conditions to be complied is available at official website of MoEF &CC and TIET Patiala.

Either of the following mentioned officials may be contacted for further information:

Dr. Gurbinder Singh Registrar, TIET Patiala

Er. Rajendra Nigam, General Manager (P&E) TIET Patiala

ਰੂਪਨਗਰ ਇੰਪਰੂਵਮੈਂਟ ਟਰੱਸਟ, ਰੂਪਨਗਰ

ਪਬਲਿਕ ਨੋਟਿਸ

ਇਸ ਪਬਲਿਕ ਨੋਟਿਸ ਰਾਹੀਂ ਆਮ ਜਨਤਾ ਦੀ ਜਾਣਕਾਰੀ ਲਈ ਸੂਚਿਤ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਪਲਾਟ ਨੇ. 56, ਸਕੀਮ ਸ਼ਹੀਦ-ਏ-ਆਜ਼ਮ ਭਗਤ ਸਿੰਘ ਨਗਰ, ਰੂਪਨਗਰ ਟਰੱਸਟ ਰਿਕਾਰਡ ਅਨੁਸਾਰ ਸ੍ਰੀਮਤੀ ਸ਼ਸ਼ੀ ਬਾਲਾ ਪਤਨੀ ਸ੍ਰੀ ਮੋਹਿੰਦਰ ਕੁਮਾਰ, ਨੇੜੇ ਮੰਦਿਰ ਬੂਟੀ ਦਾਸ, ਫ਼ਤਹਿਗੜ੍ਹ ਚੂੜੀਆਂ, ਭਹਿ. ਬਟਾਲਾ, ਜ਼ਿਲ੍ਹਾ ਗੁਰਦਾਸਪੁਰ ਦੇ ਨਾਂ 'ਤੇ ਹੈ। ਮਿਤੀ 26.02.2021 ਨੂੰ ਸ੍ਰੀ ਮੋਹਿੰਦਰ ਕੁਮਾਰ ਸ਼ਰਮਾ ਪੁੱਤਰ ਸ੍ਰੀ ਬ੍ਰਹਮ ਸਾਗਰ ਨੇ ਸ੍ਰੀਮਤੀ ਬਾਲਾ ਉਰਫ਼ ਸ਼ਸ਼ੀ ਸ਼ਰਮਾ ਦੀ ਮੌਤ ਦਾ ਸਰਟੀਫਿਕੇਟ ਅਤੇ ਰਜਿਸਟਰਡ ਵਸੀਅਤ ਦੀ ਕਾਪੀ ਪੇਸ਼ ਕਰਦੇ ਹੋਏ ਬੇਨਤੀ ਕੀਤੀ ਹੈ ਕਿ ਮੇਰੀ ਪਤਨੀ ਸ਼ਸ਼ੀ ਬਾਲਾ ਉਰਫ਼ ਸ਼ਸ਼ੀ ਸ਼ਰਮਾ ਦੀ ਮੌਤ ਮਿਤੀ 02.02.2017 ਨੂੰ ਹੋ ਚੁੱਕੀ ਹੈ, ਇਸ ਲਈ ਪਲਾਟ ਨੰ. 56, ਸ਼ਹੀਦ-ਏ-ਆਜ਼ਮ ਭਗਤ ਸਿੰਘ ਨਗਰ, ਰੂਪਨਗਰ ਰਜਿਸਟਰਡ ਵਸੀਅਤ ਦੇ ਆਧਾਰ 'ਤੇ ਉਨ੍ਹਾਂ ਦੇ ਨਾਂ 'ਤੇ ਤਬਦੀਲ ਕੀਤਾ ਜਾਵੇ। ਹੁਣ ਪਲਾਟ ਨੰ. 56, ਸ਼ਹੀਦ-ਏ-ਆਜ਼ਮ ਭਗਤ ਸਿੰਘ ਨਗਰ ਰਜਿਸਟਰਡ ਵਸੀਅਤ ਮਿਤੀ 09.02.2021 ਦੇ ਆਧਾਰ 'ਤੇ ਸ੍ਰੀ ਮੋਹਿੰਦਰ ਕੁਮਾਰ ਸ਼ਰਮਾ ਪੁੱਤਰ ਸ੍ਰੀ ਬ੍ਰਹਮ ਸਾਗਰ ਦੇ ਨਾਮ ਮੌਤ ਦੇ ਆਧਾਰ 'ਤੇ ਤਬਦੀਲ ਕੀਤਾ ਜਾਣਾ ਹੈ। ਜੇਕਰ ਕਿਸੇ ਵੀ ਵਿਅਕਤੀ ਨੂੰ ਪਲਾਟ ਨੰ. 56, ਸ਼ਹੀਦ-ਏ-ਆਜ਼ਮ ਭਗਤ ਸਿੰਘ ਨਗਰ, ਰੂਪਨਗਰ ਰਜਿਸਟਰਡ ਵਸੀਅਤ ਦੇ ਆਧਾਰ 'ਤੇ ਸ੍ਰੀ ਮੋਹਿੰਦਰ ਕੁਮਾਰ ਸ਼ਰਮਾ ਪੁੱਤਰ ਬ੍ਹਮ ਸਾਗਰ ਦੇ ਨਾਮ 'ਤੇ ਕਰਨ ਵਿਚ ਕੋਈ ਵੀ ਇਤਰਾਜ਼ ਹੋਵੇ ਤਾਂ ਉਹ ਆਪਣਾ ਲਿਖਤੀ ਇਤਰਾਜ਼ ਇਸ ਨੋਟਿਸ ਦੇ ਛਪਣ ਦੀ ਮਿਤੀ ਤੋਂ 80 ਦਿਨਾਂ ਦੇ ਅੰਦਰ-ਅੰਦਰ ਇਸ ਦਫ਼ਰਰ ਵਿਖੇ ਲਿਖਤੀ ਰੂਪ ਵਿਚ ਪੇਸ਼ ਕਰ ਸਕਦਾ ਹੈ। ਮਿਥੇ ਸਮੇਂ ਤੋਂ ਬਾਅਦ ਕੋਈ ਵੀ ਇਤਰਾਜ਼ ਸਵੀਕਾਰ ਨਹੀਂ ਕੀਤਾ ਜਾਵੇਗਾ ਅਤੇ ਇਸ ਪਲਾਟ ਦੀ ਮਾਲਕੀ ਸ੍ਰੀ ਮੋਹਿੰਦਰ ਕੁਮਾਰ ਸ਼ਰਮਾ ਪੁੱਤਰ ਸ੍ਰੀ ਬ੍ਰਹਮ ਸਾਗਰ ਦੇ ਨਾਂ 'ਤੇ ਕਰ ਦਿੱਤੀ ਜਾਵੇਗੀ। ਸਹੀ/- ਚੇਅਰਮੈਨ, ਨਗਰ ਸੁਧਾਰ ਟਰੱਸਟ, ਰੂਪਨਗਰ।

DPR/Pb/3122

राज्य कार्यालय, पंजाब एवं केन्द्रशासित चण्डीगढ़ State Office, Punjab & U.T. Chandigarh



in Mauri Jagran to attend the court hearing.

He is survived by three brothers and two sisters.

SHO of PS Mauli Jagran,

of Mauli Jagran. Sources said Shubham gave the car to them for travelling. One of the injured in the shootout, Gauray, was referred to GMCH-32 for the treatment.

THAPAR INSTITUTE OF ENGINEERING & TECHNOLOGY Patiala (Punjab) (Deemed to be University)

PUBLIC NOTICE

Ministry of Environment and Forest & Climate Changes (MoEF &CC), Govt. of India has granted the approval to their project "Expansion of Thapar Institute of Engineering & Technology, Patiala" vide letter no F.No IA3-10/7/2021-IA.III.

The copy of clearance containing the conditions to be complied is available at official website of MoEF &CC and TIET Patiala.

Either of the following mentioned officials may be contacted for further information:-

Dr. Gurbinder Singh Registrar, TIET Patiala

Er. Rajendra Nigam, General Manager (P&E) TIET Patiala

SHRI KRISHNA AYUSH UNIVERSITY, KURUKSHETRA (Umri Road, Sector-8, Kurukshetra, Haryana-136118) 3rd PHYSICAL COUNSELING /ADMISSION NOTICE BAMS/BHMS FOR ACADEMIC SESSION 2020-21

The 3rd Physical Counseling for vacant seats of all affiliated/Pvt. University colleges of Haryana & UT Chandigarh will be held for BAMS/BHMS in Shri Krishna AYUSH University Kurukshetra on 31.03.2021. Interested NEET qualified candidates are required to reach University in between 9:00 A.M. to 12:30 P.M. All related schedule, terms & conditions, number of vacant seats & name of colleges are available on University Website www.skau.ac.in /UG_Admission.

REGISTRAR

2335/HRY

Centre for Development of Advanced Computing (C-DAC)

लिए प्रशासनिक स्तर पर शिविर रोहतास सैनी, दीप चंद, कुलदीप सैनी आदि मौजूद रहे। लगाने की बात कही, जिससे छोटे

THAPAR INSTITUTE OF ENGINEERING & TECHNOLOGY Patiala (Punjab) (Deemed to be University)

PUBLIC NOTICE

Ministry of Environment and Forest & Climate Changes (MoEF &CC), Govt. of India has granted the approval to their project "Expansion of Thapar Institute of Engineering & Technology, Patiala" vide letter no F.No IA3-10/7/2021-IA.III. dated 12-03-21

The copy of clearance containing the conditions to be complied is available at official website of MoEF &CC and TIET Patiala.

Either of the following mentioned officials may be contacted for further information:

Dr. Gurbinder Singh Registrar, TIET Patiala

Er. Rajendra Nigam, General Manager (P&E) TIET Patiala

र बेक आफ इंडिया

एसेट्स मैनेजमेंट ब्रांच, एससीओ 99-107,

PH. 0172-4567164, Email:- sbi.04262@sbi.co.in

1)] कब्ज़ा सूचना (अचल प्रापर्टी हेत्)

ॉफ फाइनांशियल एस्सेट्स एंड इनफोर्समेंट ऑफ सिक्योरिटी इंट्रस्ट एक्ट 2002 (54/2002) के नैनेजमैंट ब्रांच, पहली मंजिल, एससीओ 99-107, सेक्टर 8-सी, चंडीगढ़ के अधिकृत अधिकारी फोर्समेंट) रूल्ज, 2002 के नियम 3 के साथ पठनीय धारा 13(12) अधीन प्रदत्त शक्तियों का ब्रांच, चंडीगढ़ (04262) में तैनात अधिकृत अधिकारी ने उक्त एक्ट की दफा 13(2) के तहत ो करके खाते के गारंटर में. जेकान इन्फ्रास्ट्रक्चर लिमि.) नामत : 1. श्री रोशन लाल मित्तल पुत्र टर-6, पंचकूला-134109 (हरियाणा), 2. योगिन्द्र मित्तल पुत्र श्री रोशन लाल मित्तल, मकान ने श्री जीतन्द्र मित्तल पुत्र रोशन लाल मित्तल, मकान नं. 1464, ग्राउंड फ्लोर, सेक्टर 43-बी, चंडीगढ़-ती जितन्द्र मित्तल, मकान नं. 1464, ग्राउंड फ्लोर, सेक्टर 43-बी, चंडीगढ़-160022 (यहां ये सभी वत डिमांड नोटिस की प्राप्ति की तिथि से 60 दिन के अंदर 01.12.2020 से बनते आकस्मिक खर्चे, राशि पर अनुबंध दर वाले भविष्य के ब्याज संमेत दिनांक 30.11.2020 के अनुसार रू. उरने के लिए निर्देश दिए गए थे। कर्जदार राशि का भुगतान करने में असफल रहे। अतः कर्जदारों को नता को सूचित किया जाता है कि अधोहस्ताक्षरी द्वारा उक्त नियमों के नियम 8 के साथ पढ़े जाने वाले । प्रदान की गयी शक्तियों का प्रयोग करते हुए निम्नांकित प्रापर्टी का 25 मार्च, 2021 को प्रतीकात्मक

A 4 कि के 109 must संबंधी कोई लेन-देन न करें और इस

THAPAR INSTITUTE
OF ENGINEERING & TECHNOLOGY
(Deemed to be University)

No. TIET/R7

The Deputy Commissioner A-Block, Mini Secretariat PATIALA.

Dear Sir.

Dated : March 17, 2021.

Please find enclosed herewith letter No. IA3-10/7/2021-IA.III dated March 12, 2021 of Ministry of Environment, Forest and Climate Change, Government of India.

As per the above letter, the Institute has been granted Environment Clearance for expansion of built up area from 3,33,080.33 to 4,45,678.09.

This is for your kind information please.

Thanking you,

With regards,

REGISTRAR



No. TIET/R/

Dated : March 17, 2021.

The Commissioner Municipal Corporation PATIALA

Dear Sir,

Please find enclosed herewith letter No. IA3-10/7/2021-IA.III dated March 12, 2021 of Ministry of Environment, Forest and Climate Change, Government of India.

As per the above letter, the Institute has been granted Environment Clearance for expansion of built up area from 3,33,080.33 to 4,45,678.09.

This is for your kind information please.

Thanking you,

With regards,

REGISTRAR

111



Liberal Arts & Sciences 2024

MBA Admission 2024

MA Admission 2024 Admissions 2024 Faculty Openings

Email Us:

admissions@thapar.edu

Call Us:

****18002024100

Annexure 10



EIA CLEARANCE

- Six Monthly report period ending 30.09.2023
- Six Monthly report ending 31.03.2023
- Six Month report period ending 30.09.2022
- Six Month report period ending 31.03.2022
- Six month report period ending 30.09.2021
- Six Month Report ending 31-03-2021

- Tect Deporte

Activate Windows Go to Settings to activate Windows.







Dashboard | Environment Clearance * Forest Clearance * Wildlife Clearance * CRZ Clearance * Go To Home Logout


Welcome DrGurbinder Singh, Project Proponent

List of Uploaded Compliances


Sr.No.	Proposal No. / Name of Project	Compliance No./ EC Letter Number	State and District	Year of Compliance	Period of Compliance	Remarks	Uploaded Date	Status	View
1	IA/PB/MIS/191842/2020	EC/M/COMPLIANCE/51319378/2024	PUNJAB	2023	01 Dec(01 Apr - 30 Sep)		16-03-2024	Submitted Successfully	View Report
	Thapar Institute of Engineering and Technology (Deemed to be University)	IA3- 10/7/2021-la,III	PATIALA						View Documents

Expenditure done on CSR activities

S.	Details of activities as per EC	Amount	Current Status
No.	expansion		
1.	Support to build IT infrastructure in	Rs.3.25 Lakhs	Support to build IT
	computer lab at ITI Patiala and BN		infrastructure and furniture in
	Khalsa school, Patiala		computer labs of ITI's.
2.	Adoption of Govt. School at village	Rs. 5.60 Lakhs	Renovation work of toilets &
	Ablowal for construction of face lift		others allied works in Govt.
	of toilets, and drinking water		Elementary School, Ablowal.
	facilities for students and staff		has been done
3.	Plantation and cleanliness drive in	Rs. 3.2 Lakhs	Plantation at Baradari Garden
3.	and around university campus	RS. 3.2 Lakiis	Plantation at Baradari Garden
4.		Rs. 0.5 Lakh	Blood Donation camps are
4.	Blood donation camps	RS. U.3 Lakii	_
5.	2 CCTV	Rs.11.96 Lakhs	being arranged Provision of CCTV cameras
5.	3 CCTV cameras at Patiala Police	RS.11.96 Lakns	
			near the red light points near
		D 0.57 11	Institute
6.	Ladies toilet in Environment Park,	Rs. 2.5 Lakhs	Construction of Ladies Toilet at
	Civil Lines		Environmental Park, Patiala.
			Has been done.
7	N. A. A.	2 072 20 1 11	C. L.
7.	Merit scheme every	2,872.29 Lakhs	Scholarships to students
	year(Scholarship)	2000 2 1 11	
	Total	2,899.3 Lakhs	
		(28.993 Crores)	




SWEST DES




(FOR THE YEAR 2022-23)

FOR



BHADSON ROAD, PATIALA **PUNJAB**



Submitted by



Eco Paryavaran Laboratories and Consultants Private Limited

E-207, Industrial Area, Phase-VIIIB (Sector-74), S.A.S Nagar (Mohali) Punjab qms@ecoparyavaran.org, consent@ecoparyavaran.org, www.ecoparyavaran.org,

> Mobile No-9888743181, 9814003103 Office No.-0172-4616225

Annexure 14 PUNJAB STATE POWER CORPORATION LIMITED
(Regd. Office P.S.E.B. Head Office, The Mall Patiala-147001, Ph. 1912), CIN: U40109PB2010SGC033813 Billing Category E-mail: 1912@pspd.in, Wabsite: www.pspd.in, GSTIN NO: 03AAFCP5120Q1ZC 49 Original for Recipient Duplicate for Supplier, Taxable Invoice, Invoice-cum-Bill of Supply GSC/SAP-NONSBM-/BS HT BULK SUPPLY DPC Division Sub Division Circle Bill Oyde Bill Date Bill No. MODEL TOWN COMMERCIAL - 1 MODEL TOWN DIVISION PATIALA 02-2024 22-FEB-2024 50024268967 Due Date Contract A/C No.: 3000058657 Bill Status Tariff Type Consumer Name: M/S PRINCIPAL Demand Cash/Online | DD/Oneque Address O. THAPER INST OF ENGG CENTRAL JAIL BS HT BULK SUPPLY DPC 06-Mar 11-Mar 2024 AREA PATIALA-147001-INDIA Rs. 14454910/-7740.00 2024 **Details of Mete** Meter Voltage CT No. CT Make Status Connection Date: 29-04-2009 Supply Meter Number | Make Digit Capacity Mobile No.: 97XXXXX529 009465/4/2/19 1-1.2 6 SECURE X0824690 66.00 Meter Security cons/Meter Security Interest Securit Cons Bill Period Feeder Code Date of Old Reading Date of New Reading Security 13964930.75 30010 32 21-JAN-2024 FDC0000004371 22-FEB-2024 Meter Reading Old Meter MMTS Overall Unit Consumed Old Meter CT Ratio Line CT Ratio **Current Units** Correction Cons Details Multiplier Multiplier Reading Reading 1684800 60000.00 1/1 100/1 1.00 773,456 801.536 KWH 1698750 1/1 60000.00 100/1 785.964 1.00 814.276 KVAH 3870.00 60000.00 1/1 100/1 1.00 0.027 0.064 MDI (A) Fixed Charges A: Fixed Charges Amount Rate per KVA A or B whichever Billing Days (D) Contract Demand (L) =CxRxDx12/365 80% of (L) KVA (B) per month (R) Actual Demand KVA (A) greater KVA (C) KVA 1380511.00 340.00 32 3870.00 3680.00 3870.00 (B) Energy Charges B: Total Energy Charges Amount Rate/kWh Units 0.00 10 0-100 0.00 0 11517525 100-300 0.00 0 300-500 0.00 **500 & ABOVE** *Additional Surcharges (C) Fuel Cost Adjustment Charges C. FCA + Addi Surcharges Amount Rate Unit C: Amount **KVAH Consumption** Total Energy Charges FCS/KVAH 11517525 0.00 0.00 11517525 GST (D) Rental Charges Rent for any D. Total Rent with Tax Meter Rent CGST Total GST MOB, CT/PT Unit SGST HSN Code Total Rent other for PSPCL Rental equipment Meter 218.3 33.3 16.65 16.65 185 0 185 (E) Surcharges ToD Surcharge **Demand Surcharge** Voltage Surcharge Amount of Rate of Voltage Peak Hours E: Total Surcharge (Rs.) Amount Demand Rate Surcharge Catered Demand Demand Supply Surcharge KVAH in excess Voltage Rate Surcharge Voltage Surcharge Amount 0.00 0.00 0.00 0.00 0.00 0.00 66.00 66.00 (F) Rebates **ToD Rebates** Voltage Rebates F: Total Rebates (Rs.) Rate Amount Non-Peak Hours KVAH Amount HT/EHT Rebate Units 892718.00 468030.00 1.00 468030.00 0.00 424688.00 1698750.00 and Date: (G) Previous Adjustment Amount Notice No.: G. Net Previous Adjus Total Subsidy Rebates(-) Taxes Energy Fixed Rentals Surcharges(+) FCA Units Charges Charges 0/-100 0/-100 Notice No .: and Date: -(H) Sundry Charges/Allowances HA One Total Subsidy Taxes Rebates(-) Late Energy Fixed Surcharges(+) (PS FCA Rentals Units Charges Payment Charges Interest 10 10 10 10 10 10 (I) Subsidy I: Net Subsidy (Ps.)

Amount

Date for Subardy

		(J) Taxati	on	illand					1	7-1-5	
Municipal IDF		Cow Cess Total Tax		Net Energy	TCS/TDS	Cum/Prev Round	ounding	NET BILL AMOUNT	ET BILL AMOUNT		
		Tax		- True		Charges		Amount		Rs.14454910/-	
		240106.00	600266.00	33975.00	2435038	Teans	14440.57			One Orare Forty Four Lakh Fifty Four Thousand Nine Hundred Ten Rupees Only	
					(IQ) To	otal Billed Am	ount				
Due Date by Cash/Online	Due Date by DD/Cheque	Net Amount by due date	Payable	Simple interest on delaye @1.5%p.m.		ed payment	Amount Payable within 1 month after due date		n 1 month		
1-Mar-2024	06-Mar-2024	14454910 216824			14671734	4					
	BONT TO		lining.		(L) Previo	us Cycle's Co	onsumption				
IONTH:FEB- 3 IDI:2760 WH:1283910 VAH:1298580	MAR-23 2808 - 1102140	APR-23 5202 1588500 1610070	6648	JUN-23 6648 941760 969390	JUL-23 3804 1455450 1498710	AUG-23 7974 2999490 3064560	SEP-23 7200 4500270 4587330	7200 1555770	NOV-23 3432 1277250 1292520		JAN-24 1668 1241400 1251420

Payment History: Last Payment Amount:Rs. 10917300, Dated: 07-02-2024

- Payments exceeding Rs.20,000/- shall be accepted in digital mode only w.e.f. 01-07-2021.
 In case the payment of billed amount is not made by the due date, the power supply shall be liable for disconnection after expiry of 15 days of the due date and this may be taken as notice under section 56 of the Electricity Act 2003 read with regulation 32 of the Supply Code, 2014.
 TCS UNDER SEC 206 C(1H) OF INCOME TAX ACT IS APPLICABLE ON RECEIPT ON ACCOUNT OF COLLECTION OF ELECTRICITY BILLS W.E.F. 01.10.2020
 OHARGES HAS BEEN CHARGED AS ED @ 13% OF SOP, MT @ 2% OF SOP, IDF @ 5% OF SOP, COMCESS @ 1 OR 2 PAISA PER KWHYKVAH
 ADJUSTMENT DETAIL WITH PERIOD:
 ADJUSTMENT DETAIL WITH PERIOD:

6. - UNPAID DUES: - A) LATE PAYMENT SURCHARGES: 0 B) LATE PAYMENT INTEREST: 0
7. LATE PAYMENT INTEREST @1.5% PER MONTH ON GROSS UNPAID AMOUNT OF THE BILL TILL DEPOSIT OF OUTSTANDING AMOUNT AFTER DUE DATE SHALL BE CHARGED.

			The state of the s	a special contract	AND THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO I		
Description (HSN Code)	Quantily		Non-Taxable Amount	Taxable Amount	CGST 9%	SGST 9%	Total
Meter Rent (997319)	1	-	0	185	16.65	16.65	218.3
MCB Rent (997319)	1		0	0	0	0	0
Electrical Energy (271600)	1698750	UNT-Units		0	0	0	0

Powered by Q/o CE(IT) PSPCL